

Chiropractic Tables

MASTER PRODUCT BROCHURE COLLECTION

Table of Contents

ADJUSTING TABLES

PIVOTAL HEALTH SOLUTIONS (PHS CHIROPRACTIC)

ErgoStyle ES2000	Page 4
TradeMark Adjusting Table	Page 5
ErgoBasic EB9060	Page 7
Max Metal Drop Table	Page 8

LEANDER

Leander STAT / 900 & 950 Series	Page 9
---------------------------------	--------

HILL LABORATORIES

Hill HA90C / AirHA90C	Page 10
-----------------------	---------

LLOYD TABLE COMPANY

Lloyd Galaxy Elevation	Page 16
Lloyd Galaxy Stationary	Page 19
Lloyd 409 Elevation	Page 21
Lloyd 402 Elevation	Page 23
Lloyd 402 Stationary	Page 25
Lloyd Astro Elevation	Page 27

Chiropractic Tables

MASTER PRODUCT BROCHURE COLLECTION

Table of Contents

FLEXION / DISTRACTION TABLES

PIVOTAL HEALTH SOLUTIONS (PHS CHIROPRACTIC)

ErgoStyle FX Flexion Distraction Table	Page 29
TradeFlex Max Manual & Auto Flexion Table	Page 31
TradeFlex Manual Flexion Table	Page 32

LEANDER

Leander 900 Series Flexion-Distraction	Page 34
Leander 950 Series Flexion-Distraction with Elevation	Page 35

HILL LABORATORIES

Hill AFT / AirAFT	Page 36
Hill AirFlex II	Page 42
Hill Repex II	Page 48

LLOYD TABLE COMPANY

Lloyd 402 Flexion Elevation	Page 49
Lloyd 402 Flexion Stationary	Page 52
Lloyd Galaxy McManis Elevation	Page 55
Lloyd Galaxy McManis Hylo	Page 57
Lloyd Galaxy McManis Stationary	Page 60
Lloyd Galaxy Ultimate	Page 62

Chiropractic Tables

MASTER PRODUCT BROCHURE COLLECTION

Table of Contents

SPINAL DECOMPRESSION

CHATTANOOGA

Triton DTS 6E Traction System	Page 72
Triton DTS 6M Traction System	Page 74

PIVOTAL HEALTH SOLUTIONS (PHS CHIROPRACTIC)

DOC Decompression System	Page 81
DOC Tower Decompression System	Page 81
Thera-P Traction System	Page 83

HYLO TABLES

PIVOTAL HEALTH SOLUTIONS (PHS CHIROPRACTIC)

ErgoStyle Elevating HYLO Table	Page 85
--------------------------------	---------

LLOYD TABLE COMPANY

Galaxy 900HS Elevation & HYLO Adjusting Table	Page 87
Galaxy HYLO Hydraulically Controlled HYLO Table	Page 91
Activity HYLO Table	Page 93

MedCOR Clinical Solutions

Adjusting, flexion / distraction, spinal decompression, and HYLO table options compiled into one convenient resource.

Name: _____

Phone: _____

School/Organization: _____

E-mail: _____

Dealer/Rep: _____

Sales Rep: _____ Quote: _____

ERGOSTYLE ES2000 GEN II ELEVATING TABLE

STANDARD FEATURES:

- Lifting capacity: 400 lbs.
- Overall dimensions: 70"L x 28"W x 20-32"H
- Extended maximum length with ankle extension: 76"L
- Single foot pedal for elevation
- Expanding covers over lifting mechanism
- Tilting headpiece with adjustable sewn face cushions
- 22.5" Wide seamless cushions with multi-density foam
- Locking 6" extending ankle rest
- Stationary chest
- Fixed pelvic section
- Paper roll holder and cutter
- Durable powder coat finish
- Dual auto-cocking foot pedal included with auto-cocking drops
- Rated voltage: 120V/240V
- Rated frequency: 50/60Hz
- Current: 2.7 Amp
- Duty cycle: Intermittent-Max: 1 minute on, 9 minutes off
- ADA Compliant

TABLE CONFIGURATIONS:

- ☐ **ES9300** - ES2000 Gen. II Elevating Table (120V)
QTY: _____
- ☐ **ES9310** - ES2000 Gen. II Elevating Table (240V)
QTY: _____
- ☐ **ES9320** - ES2000 Gen. II Elevating Table with Auto-Cocking (120V)
- Includes Thoracic, Lumbar and Pelvic Drops with Manual Drop Handles and Dual Auto-cocking Foot Pedal
QTY: _____
- ☐ **ES9330** - ES2000 Gen. II Elevating Table with Auto-Cocking (240V)
- Includes Thoracic, Lumbar and Pelvic Drops with Manual Drop Handles and Dual Auto-cocking Foot Pedal
QTY: _____

DROP OPTIONS:

- ☐ **ES58353** - Thoracic Manual Drop
- ☐ **ES58354** - Lumbar Manual Drop
- ☐ **ES58355** - Pelvic Manual Drop

CHEST PIECE OPTIONS:

- ☐ **ES95005** - Breakaway, Elevating Chest with Dual Side Control

PELVIC OPTIONS:

- ☐ **ES95015** - Elevating Pelvic Section

ELEVATION CONTROL OPTIONS

- ☐ **95284** - Dual Foot Pedal Elevation



ES9300 with
Options

HEADPIECE OPTIONS:

- ☐ **ES95002** - Tilt, Forward Drop, Toggle Drop, Adjustable Face Cushion
- ☐ **ES95003** - Tilt, Elevation, Adjustable Face Cushion
- ☐ **ES95004** - Tilt, Elevation, Forward Drop, Toggle Drop, Adjustable Face Cushion
- ☐ **ES95010** - Tilt, Cervical Distraction, Adjustable Face Cushion
- ☐ **ES95011** - Tilt, Forward Drop, Toggle Drop, Cervical Distraction, Adjustable Face Cushion
- ☐ **ES95012** - Tilt, Elevation, Forward Drop, Toggle Drop, Cervical Distraction, Adjustable Face Cushion
- ☐ **ES95013** - Tilt, Elevation, Cervical Distraction, Adjustable Face Cushion
- ☐ **E4423** - Lateral Flexion (14°) - Only Available on Headpieces with Elevation

COMPRESSOR OPTIONS:

- ☐ **E7065** - Super Silent 20 Amp Compressor (120V)
- ☐ **E7079** - Super Silent 20 Amp Compressor (240V)

STANDARD UPHOLSTERY CHOICES:

- | | |
|-------------------------------------|--------------------------------|
| ☐ Royal Blue | ☐ Lark |
| ☐ Imperial Blue | ☐ Burgundy |
| ☐ Blue Ridge | ☐ Dove |
| ☐ Forest | ☐ Charcoal |
| ☐ Black | ☐ Mocha |
| ☐ Putty | |



NAME: _____

COMPANY/ORGANIZATION: _____

DEALER/REP: _____

PHONE: _____

E-MAIL: _____

SALES REP: _____ QUOTE: _____



PHSChiropractic
by Pivotal Health Solutions

www.phschiropractic.com • 800-743-7738

TradeMark Adjusting Table



E9012

The TradeMark Adjusting Table is engineered for excellence and designed as an affordable choice for a growing practice or as a starter table. Standard features include adjustable face cushions, 8" ankle extension with elevation and breakaway abdominal with elevation. Quality options include all three drops (thoracic and lumbar in a single chest cushion, as well as pelvic), elevation, and a variety of headpieces.

STANDARD FEATURES:

- Stationary table height is 19"
- Adjustable face cushion and tilting headpiece
- 8" Ankle extension with elevation
- Breakaway and elevating abdominal cushion
- 22" Wide comfort cushions
- Long, ergonomic armpads
- Steel base
- Paper roll holder and cutter
- ADA Compliant

SPECIFICATIONS:

- Lifting capacity: 350 lbs.
- Overall dimensions: 65"L x 28"W x 19"H
- Extended maximum length with ankle extension: 73"L
- Cushion width: 22"W
- Rated voltage: 120V/240V
- Rated frequency: 50/60Hz

STANDARD TABLES:

- ☐ **E9012** - E9012 TradeMark Adjusting Table (120V)

Qty _____

- ☐ **E9212** - E9212 TradeMark Adjusting Table (240V)

Qty _____

HEIGHT & ELEVATION OPTIONS:

- ☐ **E4802** - Extended Stationary Height Beyond 26" (Per Inch)
- ☐ **E9012-L** - Elevation 20-28" with Single Foot Pedal (120V)
- ☐ **E9212-L** - Elevation 20-28" with Single Foot Pedal (240V)
- ☐ **95284** - Dual Foot Pedal for Elevation



PHSChiropractic
by Pivotal Health Solutions

TradeMark Adjusting Table

HEADPIECE OPTIONS:

- ☐ **E4401** - Tilt, Forward Drop, Adjustable Face Cushions
- ☐ **E4408** - Tilt, Elevation, Adjustable Face Cushions
- ☐ **E4409** - Tilt, Cervical Distraction, Adjustable Cushions
- ☐ **E4410** - Tilt, Elevation, Forward Drop, Toggle Drop, Adjustable Face Cushions
- ☐ **E4411** - Tilt, Elevation, Forward Drop, Toggle Drop, Cervical Distraction, Adjustable Cushions
- ☐ **E4423** - Lateral Flexion (14°) - Available on all headpiece options

DROP OPTIONS:

- ☐ **E4412** - Thoracic Manual Drop
- ☐ **E4413** - Lumbar Manual Drop
- ☐ **E4414** - Pelvic Manual Drop



Headpiece: Tilt, Elevation, Forward Drop, Toggle Drop, Adjustable Face Cushion Options

STANDARD UPHOLSTERY CHOICES:

- | | |
|--|-----------------------------------|
| ☐ Imperial Blue | ☐ Charcoal |
| ☐ Blue Ridge | ☐ Mocha |
| ☐ Forest | ☐ Black |
| ☐ Burgundy | ☐ Lark |
| ☐ Dove | ☐ Putty |
| ☐ Royal Blue | |



E9012

Name: _____

Phone: _____

School/Organization: _____

E-mail: _____

Dealer/Rep: _____

Sales Rep: _____ Quote: _____

ERGOBASIC WITH MANUAL PUMP ELEVATION

STANDARD FEATURES:

- Load capacity: 400 lbs.
- Dimensions: 69.5"L x 27.25"W
- Height ranges: 18-24" or 22-28"
- Manual hydraulic pump elevation
- Tilting headpiece with adjustable sewn face cushions
- Firm foam
- Paper roll holder and cutter
- Durable powder coat finish
- Accelerator™III Pelvic Drop
- ADA compliant



EB9060

STANDARD TABLE:

- ☐ **EB9060** - Manual Pump Elevating ErgoBasic Table (18-24")
69.5"L x 27.25"W x 18-24"H

QTY: _____

- ☐ **EB9061** - Manual Pump Elevating ErgoBasic Table (22-28")
69.5"L x 27.25"W x 22-28"H

QTY: _____

STANDARD UPHOLSTERY CHOICES:

- | | |
|-------------------------------------|--------------------------------|
| ☐ Royal Blue | ☐ Lark |
| ☐ Imperial Blue | ☐ Burgundy |
| ☐ Blue Ridge | ☐ Dove |
| ☐ Forest | ☐ Charcoal |
| ☐ Black | ☐ Mocha |
| ☐ Putty | |

HEADPIECE OPTIONS:

- ☐ **ES95002** - Tilt, Forward Drop, Toggle Drop, Adjustable Face Cushions
- ☐ **ES95003** - Tilt, Elevation, Adjustable Face Cushions
- ☐ **ES95004** - Tilt, Elevation, Forward Drop, Toggle Drop, Adjustable Face Cushions

DROP OPTIONS:

- ☐ **ES58353** - Thoracic Manual Drop



Manual Hydraulic Pump

Name: _____

Phone: _____

School/Organization: _____

E-mail: _____


Dealer/Rep: _____

Sales Rep: _____ Quote: _____

MAX METAL DROP TABLE

STANDARD FEATURES:

- Load capacity: 400 lbs.
- Table dimensions: 21.5"W x 71.5"L
- Height ranges: 18-19", 20-21", 22-23" or 24-26"
- 22" Wide comfort cushions
- Stationary face cushion
- Extension/Flexion headpiece
- Paper roll holder and cutter guide bar
- 8" Ankle extension
- Black base



STANDARD TABLES:

- ☐ **Z2051** - Max Metal Drop Table
21.5"W x 71.5"L
- ☐ 18-19" ☐ 20-21" ☐ 22-23" ☐ 24-26"
- QTY: _____

HEADPIECE OPTIONS:

- ☐ **Z2052** - Tilt, Cervical Drop with Stationary Face Cushions
- ☐ **Z2085** - Tilt, Forward Drop, Elevation with Stationary Face Cushions
- ☐ **Z2084** - Tilt, Elevation with Stationary Face Cushions
- ☐ **Z2082** - Tilt, Forward Drop, Toggle Drop, Elevation with Adjustable Face Cushion (ErgoStyle Version)

DROP OPTIONS:

- ☐ **Z2087** - Pelvic/Lumbar Drop
- ☐ **Z2086** - Thoracic Drop

HEIGHT & ELEVATION OPTIONS:

- ☐ **Z2053** - Chest Prop
- ☐ **Z2076** - Knee Break
- ☐ **Z2075** - Pelvic Drop Prop
- ☐ **Z2081** - Locking Ankle Elevation Option
- ☐ **Z2054** - Right Side Tension on Lumbar and Thoracic Drop

STANDARD UPHOLSTERY CHOICES:

- | | |
|-------------------------------------|--------------------------------|
| ☐ Royal Blue | ☐ Lark |
| ☐ Imperial Blue | ☐ Burgundy |
| ☐ Blue Ridge | ☐ Dove |
| ☐ Forest | ☐ Charcoal |
| ☐ Black | ☐ Mocha |
| ☐ Putty | |



Leander®

FLEXION DISTRACTION TABLES



950 & 900 Series Overview

Leander® 950 and 900 Series tables deliver smooth, quiet motorized flexion-distraction therapy, enhancing patient comfort while promoting an ergonomic working position for chiropractors.

950 Series (ADA Compliant) – Features powered elevation for effortless height adjustment and easy patient transfer, making it ideal for those with mobility challenges.

900 Series (Fixed Height) – Offers the same motorized flexion-distraction as the 950 but with a fixed height, available in 1-inch increments from 18" to 28".

Specifications

Length & Width:

- 68 inches retracted length, 78 inches fully extended
- 22 inches overall width
- 22 inch wide caudal cushion
- 19 inch wide abdominal cushion

Table Features:

- Electric Variable Speed control with on/off foot control
- Timed or manual operation
- Variable Height: Choose 18.5" - 24" or 21"-29"
- Fixed Height: Choose 18" - 28" in one inch increments
- Adjustable Hinged Cervical Section
- Break-Away Abdominal Section
- Extending Ankle Cushion
- Lateral Flexion with Variable Lock (Travel is 23° to each side)
- Commercial Grade Vinyl Upholstery -14 color options
- Heavy Duty Steel Construction
- 350 pound capacity
- Optional Cervical, Thoracic and Pelvic Drops with adjustable tension control

Electrical: 10 Amp, 115VAC, 60Hz

Weight: 235 pounds



The Leander® STAT Series Overview

Leander® STAT Series treatment tables are available in fixed heights from 18" to 28" or with powered elevation. **Elevation models are ADA compliant** and qualify for the **ADA tax credit**, making them a smart investment for accessibility. These tables ensure smooth patient transfers from wheelchairs while meeting ADA standards.

STAT tables offer the same patient positioning options as Leander motion tables, including a break-away, self-adjusting abdominal section for optimal comfort across all body types. However, they do not feature motorized flexion-distraction.

Specifications

Length & Width:

- 68 inches retracted length, 78 inches fully extended
- 22 inches overall width
- 22 inch wide caudal cushion
- 19 inch wide abdominal cushion

Table Features:

- Variable Height: Choose 18.5" - 24" or 21"-29"
- Fixed Height: Choose 18" - 28" in one inch increments
- Adjustable Hinged Cervical Section
- Break-Away Abdominal Section
- Extending Ankle Cushion
- Lateral Flexion with Variable Lock (Travel is 23° to each side)
- Commercial Grade Vinyl Upholstery -14 color options
- Heavy Duty Steel Construction
- 350 pound capacity
- Optional Cervical, Thoracic and Pelvic Drops with adjustable tension control

Elevation Model Electrical: 10 Amp, 115VAC, 60Hz

Weight: 235 pounds



Jacob Currier

Director of Sales

152 US Route One, Unit 7
Scarborough, ME 04074

207-222-2828 office
207-949-2215 cell
www.medcorpro.com

HA90C

Manual and Air-Drop Tables




Hill Laboratories
COMPANY

HA90C™

MANUAL DROP TABLE

Designed with both you and your patient in mind, the standard HA90C electrically adjusts in height from 22" to 35" providing the ideal working height for you and easy access for your patients. The HA90C is also versatile—choose from the many available options to customize the HA90C for your specific needs.



Shown in Gravel Upholstery with Beige Base.

Pictured with several options


▼ STANDARD FEATURES

- Armrests, 11" face cut-out and paper roll
- Electrically-controlled height - 22" - 35"; Optional 18" to 32-1/2"
- Width - 24"; Length - 5'10" with drops; 6' without drops
- Foam Top - 2-1/2" Medium (standard); Soft or Firm
- Choice of 20 standard colors (or upgrade to more durable Finesse upholstery)
- Beige, Gray or Black Base, enclosed for safety
- One-year warranty on all parts and labor

TOP PICK

The model shown is one of our most popular configurations with optional tilt, raised and dual-drop headpiece, thoracic drop, lumbar drop, pelvic drop and slide-out ankle support.

For even greater speed and convenience, consider the Air90C.



The HA90C has electric adjustable height from 22" to 35" and available in three base colors; Beige, Gray and Black.

HA90C OPTIONS

Made-to-Order

▶ MANUAL OR AIR-DROPS


The standard HA90C can be equipped with up to 4 manual drops including cervical (straight-down and forward-motion), thoracic, lumbar and pelvic. The AirHA90C comes standard with all 4 air drops.

▶ THORACIC SPRING BREAKAWAY

The Thoracic Spring Breakaway (with release) allows for a thoracic recoil movement, features adjustable tension and locks at any point down to 5-1/2"; with drops - 4-1/4". This feature cannot be combined with a thoracic or lumbar drop. The AirHA90C comes standard with an air-controlled breakaway and pressure foot pedal.

▶ HEADPIECES

Add functionality to your headpiece by combining several headpiece options including Tilt, Dual-Drop, Raised, Flexion, Axial-Motion, Lateral and Translation (CBP). The AirHA90C comes standard with a Tilt and an Air Dual-Drop combination headpiece.



▶ MANUAL CERVICAL FLEXION




The Flex-Headpiece comes with the raised headpiece, occipital strap and removable tiller bar.

The headpiece unlocks and a gas-spring gently compresses and recoils as you control the flexion, lateral and long-axis movement.


All of the options below can be added to the 90C already included on the AirHA90C as standard features. These are indicated by the blue "Air" symbol. See AirHA90C page for a complete list.

Thoracic/Lumbar Options




Thoracic Drop

The HA90C manual drop is activated with an easy-lift handle. The AirHA90C is activated with Foot Strips.




Thoracic Release

Hinges and locks at any angle down to 5 1/2 inches.




Thoracic Breakaway

Allows for a thoracic recoil movement and features adjustable tension. The AirHA90C comes standard with an air-controlled breakaway and pressure pedal.



Raised Thoracic

Tilts and locks up to 6 inches. (not available with spring breakaway or AirHA90C)



Lumbar Drop

The HA90C manual drop is activated with an easy-lift handle. The AirHA90C is activated with Foot Strips.


OC. Many are
features.
AIR
list of features.

HA90C
More Options

Ask about our flexible lease-to-own options available for
1, 2 and 3 year financing. Your HA90C may also be eligible
for a tax credit totaling nearly 1/2 the purchase price.


Visit HillLabs.com for details.

Pelvic Options




Pelvic Drop

The HA90C manual drop is activated with an easy-lift handle. The AirHA90C is activated with Foot Strips.



Raised Pelvic

Tilts and locks up to 5 inches.



Raised Pelvic/Drop Combo

Combines the Raised Pelvic feature with a Pelvic Drop.

The standard pelvic cushion is not notched; optional notch is available. All HA90C drops are activated with an easy-lift handle on both sides of the table. All AirHA90C drops are selected using the control panel and activated using the Foot Strips. An opposite-side control panel is also available.

Other Options



Drop-Away Foot

9" foot section folds down for treating shorter patients. Standard on AirHA90C.




Slide-Out Ankle Support

Adjusts up to 8" in height and extends out 12" from the end of the table.




Adjustable Armrests

Elevating armrests for supine shoulder support – often used for massage.



Rocker Foot Pedal

The Rocker Foot Pedal attaches to the base on both sides of the table to control the height. Standard on the AirHA90C.



Casters


Makes moving the table easy. Engaged with a foot lever.

Special Configurations



Extended Face Cut-Out

Extended face cut-out for treating children and shorter patients. Not available on AirHA90C. Other custom face cut-outs available.




Removable Width Extensions

3" x 21". Adds 6" to the width of the table. Used for massage therapy; often combined with adjustable armrests.



Activator*-Style Top

36" face cut-out and wedged foot section. 27" width, optional 30". Not available on AirHA90C.



Activator*-Style Top

Side view showing the wedged foot section - Model HA90AM.

The Activator-Style top is also available as a Hi-Lo model with soft start-up and landing, plus automatic fold-down standing board.*

AIRHA90C

Air-Drop Table

Crisp, smooth and impressively fast.

Equipped with the Hill Air-Drop System*, the AirHA90C allows doctors to select one or up to four drops simultaneously from the convenient, side-mounted, control panel. Cushions are activated instantly by tapping one of the foot strips.



* The Hill Air-Drop System, with air-powered features, is only available on the AirHA90C.

Shown in Cinder Upholstery with Black Base and added options.

*Dual Power Foot Strips
Reset the Drops with a tap!*

Select one or up to four drops simultaneously from the Control Panel. Optional dual-sided control box available

▼ STANDARD FEATURES

- Height - 21 1/2" to 31" (higher starting heights available)
- Rocker Foot Pedal and Two Power Foot Strips
- Width 24", Length 6'3"
- Armrests, 13" Face cut-out, Paper Roll, Cutter
- Tilting Headpiece, 30° positive and negative tilt
- Air Cervical Dual-Drop Headpiece
- Air-Powered Thoracic Spring Breakaway & Release
- Air Thoracic, Lumbar and Pelvic Drops
- Drop-Away Foot Section
- Choice of 20 standard colors (or upgrade to more durable Finesse upholstery)
- Beige, Gray or Black Base, enclosed for safety
- One-year warranty on all parts and labor

SPECIFICATIONS

- Powered by an electric actuator. 110 volts, 60 Hz, 5.0 amps.; AirHA90C - 2.5 amps. 220 Hz - 50 cycle available at additional charge
- Lifting capacity - 450 lbs.
- Travel time from lowest to highest height - 15 seconds
- Choice of colors for upholstered top (see below)
- Beige, gray or black telescoping base skirting constructed of fire-rated acrylic thermo-plastic
- Powder-coated internal and external parts
- Medium density foam top - 2-1/2"; firm and soft density available
- Shipping weight - approximately 250 - 300 lbs.
- Standard width - 24"; optional widths, 22", 27", or 30"
- Range of height
HA90C from 22" to 35"
- with thoracic release or breakaway option, 24" to 35"
- optional low height of 18" to 32-1/2" available
AirHA90C from 21-1/2" to 31"
- 23-1/2" to 33" available. Special heights upon request
- Table Top length
HA90C - 5'10"; with drop-away foot becomes 5'1"
AirHA90C - 6'1"; with drop-away foot becomes 5'4"
Slide-out foot section: removed; 5'1", inserted 5'4", extended 6'4"
- Warranty - one year on all parts and labor

*The option shown for use with the ACTIVATOR technique is designed to serve the doctor who uses the ACTIVATOR® instrument or applies the "ACTIVATOR METHODS®" technique. ACTIVATOR and ACTIVATOR METHODS are trademarks of Activator Methods, Inc. and are used for identification purposes only. Equipment made or distributed by Hill Laboratories is not made or approved by Activator Methods, Inc.

VERY AFFORDABLE

Finance your Hill Laboratories table through our convenient and affordable lease/purchase plan. Visit HillLabs.com to calculate leasing options or call to speak personally with one of our representatives who will be happy to discuss payment options.

AVAILABLE COLORS



Below - Finesse® Colors. Upgraded material; foam-backed and puncture-resistant.



Base Colors



Upholster your table in durable Boltaflex® with Prefix™, scientifically formulated to give superior protection from staining and abrasions.

Finesse and custom colors are available at additional cost. Shades may vary from actual material.

Color choices may change without notice.


Hill Laboratories
COMPANY

3 N. Bacton Hill Road, Frazer, PA 19355 • Toll-Free 1-877-445-5020
610-644-2867 • fax 610-647-6297 • www.HillLabs.com



Galaxy Elevation



The Galaxy Elevation raises the patient from 19" to 36" virtually eliminating stooping and bending. Doctors using this table find they are less fatigued at the end of the day. Optional automatic and manual drops are available on all sections even ankle!

Fully adjustable headrest and elevating, extendable ankle rest position manually to accommodate patients 5' to 7'.

Standard Features

- Hydraulically Controlled Elevation
- Deluxe Adjustable Headpiece
- One piece adjustable chest
- Spring Breakaway Chest
- Adjustable Chest (vertical)
- Adjustable Pelvic (vertical)
- Adjustable Ankle (vertical & horizontal)



Optional Features:

- Lloyd's superior designed manual & auto cocking drops
- Manual & auto drop Ankle
- Total Dimension Flexion Headpiece
- Electronic Height Select
- Snap-on Covers

Galaxy Elevation Specifications

Height Range

Fully Extended

Fully Retracted

Cushion Width

Table Width

Shipping Weight

Actual Weight

19" to 36"

83" long

62" long

21"

22"



400 lbs. (approx)

350 lbs. (approx)



Galaxy Stationary Table



Standard Features

- Deluxe Adjustable Headpiece
- One piece adjustable chest with spring breakaway
- Extension / Retraction of Length (Manual)
- Pelvic Separation
- Adjustable Chest (vertical)
- Adjustable Pelvic (vertical)

Galaxy Stationary Table Specifications

- Height Range: 18" to 28"
- Fully Extended: 83" long
- Fully Retracted: 62" long
- Cushion Width: 21"
- Table Width: 22"
- Shipping Weight: 200 lbs. (approx)
- Actual Weight: 150 lbs. (approx)



The Galaxy stationary is an excellent value for the Chiropractor who just wants a basic table. All cushions, headrest and ankle rests are fully adjustable. Chest and pelvic cushions can be separated manually to accommodate shorter or taller patients. Heights are available from 18" to 28".

Chest and pelvic cushions can be separated manually by as much as 8". Fully adjustable headrest and elevating, extendable ankle rest position manually to accommodate patients 5' to 7'.



409 Elevation



Standard Features

- Hydraulically Controlled Elevation
- Deluxe Adjustable Headpiece
- One piece adjustable chest
- Adjustable Chest (vertical)
- Adjustable Pelvic (vertical)
- Adjustable Ankle (vertical & horizontal)

Optional Features:

- Lloyd's superior designed manual & auto cocking drops
- Manual & auto drop Ankle
- Total Dimension Flexion Headpiece



- Electronic Height Adjustment (EHA)
- Spring Breakaway Chest
- Multi-Directional Drop Pelvic
- Snap-on Covers



402 Elevation



Standard Features

- Hydraulically controlled Elevation
- Adjustable Width Tilting Headpiece
- One piece adjustable chest
- Adjustable Pelvic
- Adjustable Ankle Rest (Horizontal)
- Total Drop System™ (Forward Motion Drop Head w/BIPA, Chest Drop (Manual) Lumbar/Pelvic Drop (Manual))

* Shown with Optional Auto Cocking Drops & Electronic Height Adjustment

The 402 Elevation is hydraulically lifted to any height from 19" to 39" in 10 seconds with superior stability, and will lift patients weighing up to 600 lbs. Optional Superior automatic Cocking drops and Electronic Height Adjustment are available.

Elevation Table Specifications

Height Range: 19" to 39"



Fully Extended: 75 Inches

Fully Retracted: 62 Inches

Foam: 3" Firm

Table Width: 22"

Shipping Weight: 250 lbs. (approx)

Actual Weight: 180 lbs. (approx)

Lloyds drop design allows the amount of force applied to be equal, whether that force is applied on the right, left or center of the cushion, making them superior to other drops on the market. The automatic cocking drops are built into the table with controls on each side and can be set manually in the event of electric failure. No air compressor is required. A specially designed spring release on chest section is optional. Optional manual and automatic drops are available.

Also Available without Drops.



402 Stationary



Standard Features

- Adjustable Width Tilting Headpiece
- One piece adjustable chest
- Adjustable Pelvic
- Adjustable Ankle Rest (Horizontal)
- Total Drop System™ (Forward Motion Drop Head w/BIPA, Chest Drop (Manual)
Lumbar/Pelvic Drop (Manual)

Table Specifications

Height Range: 18" to 26"

Foam: 3" Firm

Length - Extended: 70"

Table Width: 22"

Shipping Weight(Approx): 165 Lbs.

Table Weight(Approx): 115 Lbs.



* Shown with Drops

The 402 Stationary comes standard with or without Lloyd's Total Drop System™ that includes manual cocking forward motion head, chest and lumbar/pelvic drops

Lloyd's drop design allows the amount of force applied to be equal, whether that force is applied on the right, left or center of the cushion, making them superior to other drops on the market. Our drops are built into the table with controls on each side and are set manually. A specially designed spring release on chest section is optional.

Also Available without Drops.



Astro Elevation



The Astro Elevation can be hydraulically lifted to any height desired from 18" to 38", greatly reducing doctor fatigue. Lloyd's reliable and extremely quiet electro hydraulic system smoothly lifts up to 450 lbs, in 10 seconds with superior stability. It takes a minimum 5 feet of floor space.

Standard Features

- Hydraulically Controlled Elevation
- Tilt Headpiece
- One piece body cushion
- Adjustable Ankle Rest (horizontal)
- Single Foot Pedal

Optional Features:

- Deluxe Headpiece - Tilts, Elevates, Adjustable Width cushions
- Lloyd's superior designed manual cocking drops on all sections
- Manual drop Ankle



- Total Dimension Flexion Headpiece
- Adjustable Pelvic
- EHA (Electronic Height Adjustment)
- Snap-on Covers

Astro Elevation Table Specifications

Height Range

18" to 38"

Fully Extended

73" long

Fully Retracted

60" long

Cushion Width

21" long

Table Width

22" long

Shipping Weight

210 lbs. (approx)

Actual Weight

160 lbs. (approx)

NAME: _____

COMPANY/ORGANIZATION: _____

DEALER/REP: _____

PHONE: _____

E-MAIL: _____

SALES REP: _____ QUOTE: _____



PHSChiropractic
by Pivotal Health Solutions

www.phschiropractic.com • 800-743-7738

ErgoStyle FX Flexion Distraction Table



ES5820



ES5820 with Auto Flexion
and Options

The design of our ErgoStyle™ FX Flexion Distraction table offers full, ultra-smooth counterbalanced flexion, distraction or circumduction, effortlessly meeting the core needs of your practice. Manual flexion/distraction is built right in, with infinitely variable electric spring tension so you can move the caudal section in any direction with just the touch of a finger. For added flexibility, the table also quietly elevates from its lowest height of 20" to its full height of 32". The fully modular design allows for upgrades now or in the future, including manual drops, auto-cocking drops, auto flexion, various headpieces, and many other options.

STANDARD FEATURES:

- Electric elevation from 20-32"
- Single foot pedal for elevation
- Expanding covers over lifting mechanism
- Tilting headpiece with adjustable sewn face cushions
- 22.5" wide seamless cushions with multi-density foam
- Manual flexion/distraction (Flexion: 15°; Extension: 12°; Side Bending: 30° total)
- Single tension foot pedal (manual flexion only)
- Locking 8" extending ankle rest with ankle cuffs
- Stationary chest
- Paper roll holder and cutter
- Durable powder coat finish
- Single auto-cocking foot pedal included with auto-cocking drops
- ADA Complaint

SPECIFICATIONS:

- Lifting capacity: 400 lbs.
- Overall dimensions: 70"L x 28"W x 20-32"H
- Extended maximum length with ankle extension: 78"L
- Cushion width: 22.5"W
- Rated voltage: 120V/240V
- Rated frequency: 50Hz/60Hz
- Current: 2.7 Amp
- Duty cycle: Intermittent-Max: 1 Minute On, 9 Minutes Off

STANDARD TABLES:

- ☐ **ES5820** - ErgoStyle FX Flexion Distraction Table (120V)

Qty _____

- ☐ **ES5821** - ErgoStyle FX Flexion Distraction Table (240V)

Qty _____

- ☐ **ES5822** - ErgoStyle FX Flexion Distraction Table with Auto-Cocking (120V)
- Includes Thoracic, Lumbar and Pelvic Drops with Manual Drop Handles and Single Auto-cocking Foot Pedal

Qty _____

- ☐ **ES5823** - ErgoStyle FX Flexion Distraction Table with Auto-Cocking (240V)
- Includes Thoracic, Lumbar and Pelvic Drops with Manual Drop Handles and Single Auto-cocking Foot Pedal

Qty _____



PHSChiropractic
by Pivotal Health Solutions

ErgoStyle FX

Flexion Distraction Table

FLEXION OPTIONS:

- ☐ **ES58491** - ErgoStyle FX Auto Flexion with Digital Interface Control
- ☐ **ES58494** - Long Axis Distraction 120V (with Manual Flexion)
- ☐ **ES58495** - Long Axis Distraction 120V (with Auto Flexion)
- ☐ **ES58496** - Long Axis Distraction 240V (with Manual Flexion)
- ☐ **ES58497** - Long Axis Distraction 240V (with Auto Flexion)

HEADPIECE OPTIONS:

- ☐ **ES95002** - Tilt, Forward Drop, Toggle Drop, Adjustable Face Cushion
- ☐ **ES95003** - Tilt, Elevation, Adjustable Face Cushion
- ☐ **ES95004** - Tilt, Elevation, Forward Drop, Toggle Drop, Adjustable Face Cushion
- ☐ **ES95010** - Tilt, Cervical Distraction, Adjustable Face Cushion
- ☐ **ES95011** - Tilt, Forward Drop, Toggle Drop, Cervical Distraction, Adjustable Face Cushion
- ☐ **ES95012** - Tilt, Elevation, Forward Drop, Toggle Drop, Cervical Distraction, Adjustable Face Cushion
- ☐ **ES95013** - Tilt, Elevation, Cervical Distraction, Adjustable Face Cushion
- ☐ **E4423** - Lateral Flexion (14°) - Available on all headpiece options

CHEST PIECE OPTIONS:

- ☐ **ES58359** - Breakaway, Elevating Chest with Single Side Control
- ☐ **ES58362** - Breakaway, Elevating Chest with Dual Side Control

STANDARD UPHOLSTERY CHOICES:

- | | |
|--|-----------------------------------|
| ☐ Imperial Blue | ☐ Charcoal |
| ☐ Blue Ridge | ☐ Mocha |
| ☐ Forest | ☐ Black |
| ☐ Burgundy | ☐ Lark |
| ☐ Dove | ☐ Putty |
| ☐ Royal Blue | |

DROP OPTIONS:

- ☐ **ES58353** - Thoracic Manual Drop
- ☐ **ES58354** - Lumbar Manual Drop
- ☐ **ES58355** - Pelvic Manual Drop

AUTO-COCKING FOOT CONTROL OPTIONS:

- ☐ **C4051** - Dual Auto-Cocking Foot Pedal

ELEVATION CONTROL OPTIONS:

- ☐ **95284** - Dual Foot Pedal Elevation

TENSION FOOT CONTROL OPTIONS: (MANUAL FLEXION ONLY)

- ☐ **C4053** - Dual Tension Foot Pedal

T-BAR HANDLE OPTIONS:

- ☐ **ES58429** - Short T-Bar Handle
- ☐ **ES58430** - Long T-Bar Handle

MISCELLANEOUS OPTIONS:

- ☐ **E7065** - Super Silent 20 Amp Compression (120V)
- ☐ **E7079** - Super Silent 20 Amp Compression (240V)



Digital Interface Control



Headpiece: Tilt Elevation, Forward Drop, Toggle Drop, Adjustable Face Cushion Options



Breakaway, Elevating Chest Option with Single or Dual Side Control

Name: _____

Phone: _____

School/Organization: _____

E-mail: _____

Dealer/Rep: _____

Sales Rep: _____ Quote: _____

TRADEFLEX MAX

MANUAL & AUTO FLEXION TABLE

STANDARD FEATURES:

- Lifting capacity: 350 lbs.
- Overall dimensions: 73"L x 28" W x 21"H
- Extended maximum length with ankle extension: 83"L
- Cushion width: 22"W
- Stationary table height: 21"
- P/A Flexion: 15°
- Rear lateral flexion: 15°
- Electric spring tension
- 10" Ankle extension
- Breakaway abdominal
- Tilting headpiece with adjustable face cushions
- Variable speed control
- Flexion timer
- Steel base
- Short T Bar and SST strap
- Paper roll holder and cutter
- Rated voltage: 120V
- Rated frequency: 50Hz



E9118

STANDARD TABLES:

- ☐ **E9118** - E9118 TradeFlex Manual & Auto Flexion Table (120V)
QTY: _____

HEADPIECE OPTIONS:

- ☐ **E7529** - Tilt, Adjustable Face Cushions
- ☐ **E4401** - Tilt, Forward Drop, Adjustable Face Cushions
- ☐ **E4512** - Tilt, U-Shape Cushion
- ☐ **E4513** - Tilt, U-Shape Cushion, Cervical Drop
- ☐ **E4514** - Tilt, U-Shape Cushion, Axial Flexion

DROP OPTIONS:

- ☐ **E4412** - Thoracic Manual Drop
- ☐ **E4413** - Lumbar Manual Drop
- ☐ **E4414** - Pelvic Manual Drop

LONG AXIS DISTRACTION

- ☐ **E4415** - Long Axis Distraction (120V)

HEIGHT & ELEVATION OPTIONS:

- ☐ **E9118-L** - Elevation 21-29" with Single Foot Pedal
- ☐ **95284** - Dual Foot Pedal for Elevation

STANDARD UPHOLSTERY CHOICES:

- | | |
|-------------------------------------|--------------------------------|
| ☐ Royal Blue | ☐ Lark |
| ☐ Imperial Blue | ☐ Burgundy |
| ☐ Blue Ridge | ☐ Dove |
| ☐ Forest | ☐ Charcoal |
| ☐ Black | ☐ Mocha |
| ☐ Putty | |

NAME: _____

COMPANY/ORGANIZATION: _____

DEALER/REP: _____

PHONE: _____

E-MAIL: _____

SALES REP: _____ QUOTE: _____



PHSChiropractic
by Pivotal Health Solutions

www.phschiropractic.com • 800-743-7738

TradeFlex Manual Flexion Table



E9017



The TradeFlex Manual Flexion table is a workhorse, giving you and your patients a wide variety of options, from drops and headpieces to height, elevation and even long-axis distraction. You will appreciate the electric tension controls and removable flexion control t-bar that will allow you to move freely around the table. Your patients will benefit from the ability to preform figure-8 range of motion traction, a smooth range of 1.5 degrees of lateral flexion and a flexion depth of 1.5 degrees to accommodate almost any angle of drive. The TradeFlex Manual Flexion table also offers versatility that will save you time and money, allowing for optimum correction of spinal subluxations or disc problems yet still functioning as an exam, adjusting or therapy table.

STANDARD FEATURES:

- Stationary table height is 20"
- P/A Flexion 15°
- Rear lateral flexion 15°
- Electric spring tension
- 10" Ankle extension
- Breakaway abdominal
- 22" Wide comfort cushions
- Tilting headpiece with adjustable face cushions
- Steel base
- Short T bar and SST strap
- Paper roll holder and cutter

SPECIFICATIONS:

- Lifting capacity: 350 lbs.
- Overall dimensions: 73"L x 28"W x 20"H
- Extended maximum length with ankle extension: 83"L
- Cushion width: 22"W
- Rated voltage: 120V/240V
- Rated frequency: 50/60Hz

STANDARD TABLES:

- ☐ **E9017** - TradeFlex Manual Flexion Table (120V)

Qty _____

- ☐ **E9217** - TradeFlex Manual Flexion Table (240V)

Qty _____

HEIGHT & ELEVATION OPTIONS:

- ☐ **E4802** - Extended Stationary Height Beyond 26" (Per Inch)
(Stationary table height is 20" - adding height is no extra charge up to 26")
Qty _____ (inches)

- ☐ **E9017-L** - Elevation - 21-29" with Single Foot Pedal (120V)

- ☐ **E9217-L** - Elevation - 21-29" with Single Foot Pedal (240V)

- ☐ **95284** - Dual Foot Pedal for Elevation



PHSChiropractic
by Pivotal Health Solutions

TradeFlex

Manual Flexion Table

HEADPIECE OPTIONS:

- ☐ **E4401** - Tilt, Forward Drop, Adjustable Face Cushion
- ☐ **E4408** - Tilt, Elevation, Adjustable Face Cushion
- ☐ **E4409** - Tilt, Cervical Distraction, Adjustable Face Cushion
- ☐ **E4410** - Tilt, Elevation, Forward Drop, Toggle Drop, Adjustable Face Cushion
- ☐ **E4411** - Tilt, Elevation, Forward Drop, Toggle Drop, Cervical Distraction, Adjustable Face Cushion
- ☐ **E4423** - Lateral Flexion (14°) - Available on all headpiece options

DROP OPTIONS:

- ☐ **E4412** - Thoracic Manual Drop
- ☐ **E4413** - Lumbar Manual Drop
- ☐ **E4414** - Pelvic Manual Drop

LONG AXIS DISTRACTION OPTIONS:

- ☐ **E4415** - Long axis distraction (120V)
- ☐ **E4416** - Long axis distraction (240V)

STANDARD UPHOLSTERY CHOICES:

- | | |
|--|-----------------------------------|
| ☐ Imperial Blue | ☐ Charcoal |
| ☐ Blue Ridge | ☐ Mocha |
| ☐ Forest | ☐ Black |
| ☐ Burgundy | ☐ Lark |
| ☐ Dove | ☐ Putty |
| ☐ Royal Blue | |



E9017

Leander®

FLEXION DISTRACTION TABLES



950 & 900 Series Overview

Leander® 950 and 900 Series tables deliver smooth, quiet motorized flexion-distraction therapy, enhancing patient comfort while promoting an ergonomic working position for chiropractors.

950 Series (ADA Compliant) – Features powered elevation for effortless height adjustment and easy patient transfer, making it ideal for those with mobility challenges.

900 Series (Fixed Height) – Offers the same motorized flexion-distraction as the 950 but with a fixed height, available in 1-inch increments from 18" to 28".

Specifications

Length & Width:

- 68 inches retracted length, 78 inches fully extended
- 22 inches overall width
- 22 inch wide caudal cushion
- 19 inch wide abdominal cushion

Table Features:

- Electric Variable Speed control with on/off foot control
- Timed or manual operation
- Variable Height: Choose 18.5" - 24" or 21"-29"
- Fixed Height: Choose 18" - 28" in one inch increments
- Adjustable Hinged Cervical Section
- Break-Away Abdominal Section
- Extending Ankle Cushion
- Lateral Flexion with Variable Lock (Travel is 23° to each side)
- Commercial Grade Vinyl Upholstery -14 color options
- Heavy Duty Steel Construction
- 350 pound capacity
- Optional Cervical, Thoracic and Pelvic Drops with adjustable tension control

Electrical: 10 Amp, 115VAC, 60Hz

Weight: 235 pounds



The Leander® STAT Series Overview

Leander® STAT Series treatment tables are available in fixed heights from 18" to 28" or with powered elevation. **Elevation models are ADA compliant** and qualify for the **ADA tax credit**, making them a smart investment for accessibility. These tables ensure smooth patient transfers from wheelchairs while meeting ADA standards.

STAT tables offer the same patient positioning options as Leander motion tables, including a break-away, self-adjusting abdominal section for optimal comfort across all body types. However, they do not feature motorized flexion-distraction.

Specifications

Length & Width:

- 68 inches retracted length, 78 inches fully extended
- 22 inches overall width
- 22 inch wide caudal cushion
- 19 inch wide abdominal cushion

Table Features:

- Variable Height: Choose 18.5" - 24" or 21"-29"
- Fixed Height: Choose 18" - 28" in one inch increments
- Adjustable Hinged Cervical Section
- Break-Away Abdominal Section
- Extending Ankle Cushion
- Lateral Flexion with Variable Lock (Travel is 23° to each side)
- Commercial Grade Vinyl Upholstery -14 color options
- Heavy Duty Steel Construction
- 350 pound capacity
- Optional Cervical, Thoracic and Pelvic Drops with adjustable tension control

Elevation Model Electrical: 10 Amp, 115VAC, 60Hz

Weight: 235 pounds



Jacob Currier

Director of Sales

152 US Route One, Unit 7
Scarborough, ME 04074

207-222-2828 office
207-949-2215 cell
www.medcorpro.com

Leander 950 Series Flexion-Distraction with Elevation



At Leander, they understand that creating an excellent patient experience is important to building your practice. Their tables are carefully designed with your patient's comfort in mind.

Leander Tables are also designed to improve the everyday posture of the chiropractor. Two table elevation height range options provide you with a custom height to protect your back and posture.

Leander Tables are designed and custom-built in the heartland of the USA to your exact needs. Fourteen color choices of commercial upholstery are available to complement your office décor.



950 Series showing break away abdominal section.



950 Series shown fully raised to 29" height.



Adjustable head piece and convenient paper cutter allow for quick clean up between patients.

Features:

- Motorized Continuous Passive Motion Flexion/Distraction
- Electric Variable Speed
- Electric Variable Height
- Front Lateral Flexion with Variable Lock
- Separate patient "Shut-off" switch
- Multi-Function Adjustable headpiece
- Break-Away Abdominal Section
- One Touch controls for Cervical, Ankle & Lateral flexion
- Plug-in Foot Switches; One Each Flexion On/Off and Uplift
- Central Caudal Section Mount Controls
- Scoliosis Kit Ready
- 22" Table Width
- Commercial Grade Naugahyde Upholstery in 14 colors
- Full 1-year Non-Prorated Limited Warranty
- ADA Compliant

Leander[®]
FLEXION DISTRACTION TABLES



Simple on/off control and plug in for foot operated switches.

Jacob Currier
Director of Sales

152 US Route One, Unit 7
Scarborough, ME 04074
207-222-2828 office
207-949-2215 cell
www.medcorpro.com



HILLAFT

Automatic Flexion




Hill Laboratories
COMPANY

HILLAFT™

MOTORIZED AUTOMATIC FLEXION

The Hill Automatic Flexion Table is perfect for doctors who want full-featured automatic flexion without the need for manual flexion. The AFT is surprisingly affordable for a table that features variable speed flexion, electric adjustable height and an impressive list of other standard features.

Make the AFT even more versatile by adding up to four manual drops and several other options to suit your specific needs.




Pictured with several options

Shown in Finesse Colonial Blue Upholstery with Beige Base.



The AFT has adjustable height 21.5" to 29"



Slide-Out Ankle Support

▼ STANDARD FEATURES

- Variable speed motorized flexion
- Tilting Headpiece, 30° negative and positive tilt
- Sliding Axial Motion Headpiece (For facial comfort, slides with the motion of Lumbar Flexion)
- Thoracic release and lock
- Pelvic section has lateral flexion and can be locked at any angle up to 21°
- Removable tiller bar at foot-end for lateral movement
- Slide-out ankle support with ankle harnesses
- Adjustable patient gripper bar
- Patient Shut-Off Switch
- Electric height controlled by Dual Rocker Foot Pedals
- Width 24" / Height 21.5" to 29", higher heights available
- Foam Top - 3" Medium (standard), Soft or Firm
- Choice of 20 Colors for the top cushions
- Beige, Gray or Black Base, enclosed for safety
- One-year warranty on all parts and labor

AFT STANDARDS

ALL OF THE FOLLOWING FEATURES ARE STANDARD ON THE AFT

▶ AUTOMATIC MOTORIZED FLEXION

Variable Speed Flexion

The Hill AFT has a Flexion Control Panel that is conveniently located at the foot-end of the table which allows you to set the flexion speed from 1 to 28 rpm (an optional 30 minute timer can also be added). A selector switch allows you to stop the table in the flexed or horizontal position. In the flexed position, with the table at the lowest height, patients can easily enter or exit the table from the foot end. The pelvic section of the AFT moves laterally and can be easily maneuvered manually during flexion using the Tiller Bar. It can also be locked to either side during flexion.



Shown in Cinder and Black



The Hill AFT is shown here with optional manual drops including Dual-Drop-Cervical, Thoracic, Lumbar and Pelvic.



TILTING HEADPIECE

Hand lever releases the headpiece to lock at any angle from 30° positive to 30° negative.



TILLER BAR

Inserts for using manual lateral movement or circumduction during a flexion treatment.



THORACIC RELEASE

Thoracic Release locks at any angle down to 4-1/4" and up (above horizontal) to 1-1/2".



SLIDING AXIAL-MOTION HEADPIECE

For facial comfort, slides with the motion of Lumbar Flexion.



ROCKER FOOT PEDAL

Mounted on both sides of the table base for easy height adjustment.



PATIENT SHUT-OFF

Equipped with a patient shut-off switch located near the left armrest.

AFT OPTIONS

Made-to-Order

► MANUAL OR AIR-DROPS

The AFT can be equipped with up to 4 manual drops including cervical (straight-down and forward-motion), thoracic, lumbar and pelvic. The AirAFT comes standard with all 4 air drops.


► THORACIC SPRING-BREAKAWAY

For a thoracic recoil movement, a fixed-tension gas shock can be added to the AFT. This feature can be combined with a thoracic or lumbar drop. The AirAFT comes standard with an air-controlled breakaway and pressure pedal.


► HEADPIECES

Add functionality to your headpiece by combining several headpiece options including Air Dual-Drop, Raised, Flexion, Lateral and Translation (CBP). The Manual AFT comes standard with a Tilt headpiece with Sliding Axial Motion. The Air-Drop AFT comes with a Tilt, Air Dual-Drop and Sliding headpiece.


Straight-Down / Drop-Forward
(Both in the Dual-Drop Headpiece)




Lateral




Raised



Flexion




Translation/CBP



► MANUAL CERVICAL FLEXION

The Flex-Headpiece (shown right) comes with the raised headpiece, occipital strap and removable tiller bar. The headpiece unlocks and a gas-spring gently compresses and recoils as you control the flexion, lateral and long-axis movement.

drops



Thoracic/Abdominal Breakaway



DUAL FOOT STRIPS

With a tap of the foot, you can activate the drops from either side of the table.



CASTERS

Mount on each end of the AFT base to permit easy movement of the table.



AIR DROP AFT

Auto-Flex with Air-Drops

Crisp, smooth and impressively fast.

Equipped with the Hill Air-Drop System*, the AirAFT allows doctors to select one or up to four drops simultaneously from the convenient, side-mounted, control panel. Cushions are activated instantly by tapping one of the foot strips.

Shown in Cinder Upholstery with Black Base.



** Additional options shown including Raised Headpiece, Gripper Bar variation, Foot Strips and Timer.*

** The Hill Air-Drop System, with air-powered features, is only available on the AirAFT.*

▼ STANDARD FEATURES

- Variable speed motorized flexion
- Air activated cervical, thoracic, lumbar and pelvic drops
- Air cushioned thoracic breakaway and thoracic release
- Tilting Headpiece, 30° negative and positive tilt with sliding axial motion for facial comfort during flexion
- Pelvic section has lateral flexion and can be locked at any angle up to 21°
- Removable tiller bar at foot-end for lateral movement
- Slide-out ankle support with ankle harnesses
- Adjustable patient gripper bar
- Patient Shut-Off Switch
- Electric height controlled by Dual Rocker Foot Pedals
- Width 24" / Height 21.5" to 29", higher heights available
- Foam Top - 2 1/2" Medium (standard), Soft or Firm
- Choice of 20 Colors for the top cushions
- Beige, Gray or Black Base, enclosed for safety
- One-year warranty on all parts and labor



NOW FEATURING

Optional Air-Powered Lumbar Distraction

Controlled by a foot pedal



SPECIFICATIONS

Electric actuator 60 Hz, 110 volts, 4.8 amps. / AirAFT -10 amps. (220-50 cycle also available)

Lifting capacity - 450 lbs.

Length - 5' 5" (extends to 6' 2"), with cervical drop - 5' 7" to 6' 4" • Width - 24"

Range of height; 21.5" to 29", higher heights available

Medium density foam top; firm and soft density upon request

Choice of colors for upholstered top (see below)

Beige, gray or black telescoping base skirting constructed of fire-rated thermo-plastic

Powder-coated internal and external metal parts

Shipping weight 250-300 lbs.

One-year warranty on all parts and labor

VERY AFFORDABLE

Finance your Hill Laboratories table through our convenient and affordable purchase plans (1, 2 and 3 year).

Visit HillLabs.com to calculate options or call to speak personally with one of our representatives who will be happy to discuss payment options.

AVAILABLE COLORS



Finesse® Upgraded Vinyl - beautiful, smooth finish; supple with foam-backing, greater puncture-resistance. Colors below.



BASE COLORS



Standard vinyl is in durable Boltaflex® with Prefixx™, scientifically formulated to give superior protection from staining and abrasions. Upgraded Finesse also available (see above). Shades may vary from actual material. Color choices may change without notice.



P.O. Box 2028, 3 N. Bacton Hill Road, Frazer, PA 19355 • Toll-Free 1-877-445-5020

610-644-2867 • fax 610-647-6297 • www.HillLabs.com

AIRFLEX II

Flexion-Distraction




Hill Laboratories
COMPANY

AIRFLEX II™

THERE'S ONLY ONE AIRFLEX

In 1993, the original AIRFLEX Table revolutionized flexion-distraction. The AIRFLEX II combines all the ground-breaking innovations of its predecessor with dynamic new features that place the AIRFLEX II in a class by itself.



*Shown with
Black Upholstery
and Black Base*


Smart Lock™
Touchscreen
unlocks/locks the
flexion cylinder

▼ STANDARD FEATURES

- Flexion & Distraction, air-powered, manually-controlled
- High-Definition Touchscreen Controls
- Tilting Headpiece and Thoracic Release
- Removable Tiller Bar at foot-end
- Lateral Flexion with 21 Locking Positions
- Slide-out Ankle Support with Ankle Straps
- Elevation Range from 21 1/2" to 29" (higher starting heights available)
- Electric height controlled by Foot Pedal
- Width 24", Length 5' 8" (extends to 6' 5")
- Foam Top - 3" Medium. (Soft or Firm optional)
- Choice of 20 Colors for the top cushions
- Beige, Gray or Black Base, enclosed for safety
- One-year warranty



*Electric adjustable
height controlled
by a foot pedal*



*Slide-Out Ankle
Support*

AIRFLEX II

OPTIONS

► AIR DROPS

The AIRFLEX II can be equipped with up to four air-drops including cervical* (straight-down and forward-motion), thoracic, lumbar and pelvic (shown right). Each is activated



by tapping the foot pedal or optional dual footstrips, shown left.


**The Cervical Headpiece can be ordered with a manual drop.*

► AIR THORACIC BREAKAWAY

The Air-Thoracic Breakaway (with release) allows for a thoracic recoil movement and features adjustable air-spring tension controlled by a pressure pedal. It locks at any point down to 4.25" and can be combined with thoracic and lumbar drops.


► HEADPIECES

Add functionality to the standard Tilting Headpiece by choosing and combining several headpiece options including Dual-Drop, Raised, Flexion, Axial-Motion, Lateral and Translation (CBP).




► MANUAL CERVICAL FLEXION

The Flex-Headpiece (right) comes with the raised headpiece, occipital strap and removable tiller bar. When using cervical flexion, the headpiece unlocks and a gas-spring gently compresses and recoils as you control the flexion, lateral and long-axis movement.




Thoracic/Abdominal Breakaway



CASTERS

Mount on each end of the Air-Flex to provide easy movement of the table.



ROCKER FOOT PEDAL

Mount on both sides of the table. Substituted for, or add to, the corded height pedal.



FINESSE UPHOLSTERY

Upgrade to Finesse with foam backing for added comfort and a smoother, stronger finish.



Cervical Flexion

AUTO-FLEX

ADD EVEN GREATER VERSATILITY TO THE AIRFLEX II

Easily switch from manual flexion to Auto-Flex for controlled, air-powered flexion cycles. Using the touchscreen, set the depth, speed, hold-time, rest-time and number of cycles. You also have complete control to lock at any angle, pause or stop the treatment, change settings and resume—all through the touchscreen. The hand-held Patient Safety Switch is included with Auto-Flex which stops the automatic treatment at any time.

The 7" HD touchscreen (shown right) offers one-touch digital accuracy for controlled, fully repeatable treatments.


Shown in Black with Black Base



AUTO-DISTRACTION

URNS YOUR AIRFLEX II INTO ONE OF THE MOST EFFECTIVE TRACTION TABLES AVAILABLE


Auto-Distractiion adds fully programmable lumbar and cervical distraction to the AIRFLEX II. Using the touchscreen, you control the rest-cycle time, pull-cycle time, rest percentage, treatment time and force—all with one-touch ease and slider control. Cervical traction features our safe, comfortable Cervical Traction Device (below), which ensures complete encapsulation of the occiput. In lumbar distraction, the patient is secured with ankle straps and a counter traction strap around the lower back. You can also use flexion and lateral movement during distraction or lock for perfect positioning.



AIRFLEX
HILL LABORATORIES



ONE-TOUCH CONTROL. POWERFUL FEATURES.




Target Touch™

Streamlines flexion balancing for easier-than-ever patient set-up.



Smart Lock™

Touchscreen lock, completely eliminates any need for manual flexion locks.



Sleep Mode

Automatically resets and replenishes all air functions between each patient.



Air-Powered Auto-Flexion

With motor-free, AI-monitoring and dynamic control of auto-flexion functions.



Self-Diagnostic

Provides automatic airflow testing and real-time status reports of all table systems.



Modular Components

AIRFLEX II base is easy to service and can be upgraded to auto-functions anytime.



High Capacity Air Supply

The AIRFLEX II has a 100% more efficient compressor (110V base) and a 100% larger air tank (for Auto Functions)



Smart Valve Manifold

AIRFLEX II valves are rated at 10 million cycles with no rewiring needed if replacement is ever necessary.



Programmable Logic Controller

In place of a static circuit board, the PLC provides dynamic control of all table systems.

SPECIFICATIONS

STANDARD AIRFLEX II

Touchscreen, electric adjustable height, 3" foam, 24" width, tilting headpiece, thoracic release, air-distrac-tion, air-flexion, lateral motion, slide-out ankle support, ankle straps and removable tiller bar.

DELUXE AIRFLEX II

Includes all standard features plus 4 air drops - (cervical, thoracic, lumbar and pelvic), air-thoracic breakaway and dual footstrips.

Electric actuator 60 Hz, 110 volts, 4.8 amps. / Deluxe model - 10 amps. (220-50 cycle also available).

Lifting capacity - 450 lbs. • Table top length, 5' 8" (extends to 6' 5") • 24" Width (optional 27" - 30").

Range of height; 21 1/2" to 29"; higher heights available • Medium density foam top; firm and soft density upon request.

Choice of colors for top (see below) • Beige, gray or black telescoping base skirting made of fire-rated thermo-plastic.

Powder-coated internal and external metal parts • Shipping weight 300 lbs. • One-year warranty on part and labor

VERY AFFORDABLE

Finance your Hill Laboratories table through our convenient and affordable purchase plans (1, 2 and 3 year).

Visit HillLabs.com to calculate options or call to speak personally with one of our representatives who will be happy to discuss payment options.

AVAILABLE COLORS



Finesse® Upgraded Vinyl - beautiful, smooth finish; supple with foam-backing, greater puncture-resistance. Colors below.



BASE COLORS



Standard vinyl is in durable Boltaflex® with Prefixx™, scientifically formulated to give superior protection from staining and abrasions. Upgraded Finesse also available (see above). Shades may vary from actual material. Color choices may change without notice.



P.O. Box 2028, 3 N. Bacton Hill Road, Frazer, PA 19355 • Toll-Free 1-877-445-5020
610-644-2867 • fax 610-647-6297 • www.HillLabs.com

McKenzie **REP=EXII**

With “Quick-Change” Touch Screen and
Single Degree Incremental Control.



APPROVED BY
Robin
McKenzie

FOR APPLYING
The McKenzie
Principle


Repex II Repetitive Endrange Passive Exercise Table

The exclusive design of the Repex Table was developed by Robin McKenzie and Hill Laboratories to address mechanical disorders of the low back using the McKenzie Technique. The table features precise, repeatable, touchscreen control for entering the exact angle of treatment, speed, number of cycles and hold time. Once entered, the table automatically and passively exercises the patient's lower back to its full available endrange. **Using the Repex, your patients will be able to achieve a greater number of repetitions than what is physically possible using self-generated exercises.**

Repex II Specifications

- Touch screen digital readout
- Exact measurable movement
- Quick-change angle;
0°-24° Extension / 0°-24° Flexion
- Pause/Hold in endrange from
0-10 seconds
- 115 v~, 60 Hz., 3.5 amps; 240 v~, 3
amp. also available
- Variable cycle speed;
1-10 cycles-per-minute
- Patient cut-off switch
- Sliding face (with Ultra-Soft foam)
and sliding lower sections for
comfort during motion
- Arm rests
- Slide-out foot section for patient
stabilization
- Choice of 20 vinyl colors for the
top, beige or gray base
- One year warranty

Touchscreen Control



Hill Laboratories
COMPANY

www.HillLabs.com
877-445-5020



402 Flexion Elevation



Standard Features

- Hydraulically controlled Elevation
- Tilting headpiece with add-on paper attachment
- One piece adjustable chest
- Manual Flexion Distraction
- Adjustable Ankle Rest (Horizontal)
- Powered axial extension & retraction of pelvic section
- Lateral bending
- Ankle Straps

The revolutionary 402 Flexion-Elevation Table has risen to the challenge of the most exacting doctor. It offers a more effective and comfortable way of adjusting, eliminating the pain and strain of your back as well as that of your patients. Fatigue is not a factor when using this new hydraulic flexion-distraction table. Hydraulic control provides more constant resistance through the flexion range, regardless of the patient's size and weight. The 402 Flexion-Elevation features an incredible height range from 19.5" to 39" in 10 seconds and 24 degrees of flexion.



Lloyd's drop design allows the amount of force applied to be equal, whether that force is applied on the right, left or center of the pelvic cushion, making them superior to other drops on the market. The automatic cocking drops are built into the table with controls on each side and can be set manually in the event of electric failure. No air compressor is required. A specially designed spring release on drop chest and lumbar and flexion T-BAR that retracts downward or sideways are optional. Optional manual and automatic drops are available on an optional rotating chest lumbar section.

402 Flexion Elevation Specifications

Height Range: 19.5 inches to 39 inches

Length Extended: 73 inches

Length Retracted: 62 inches

Cushion Width: 21 inches

Table Width: 22 inches

Shipping Weight: 300 lbs. (approx)

Table Weight: 240 lbs





402 Flexion Stationary Hydraulically Controlled Stationary Table



The 402 Flexion-Stationary table features a narrowed head and shoulder section for added patient comfort. A simple control lever provides instant locking of flexion or lateral bending. Hydraulic control provides more constant resistance through the flexion range, regardless of the patient's size and weight.

Lloyd's drop design allows the amount of force applied to be equal, whether that force is applied on the right, left or center of the pelvic cushion, making them superior to other drops on the market. The automatic cocking drops are built into the table with controls on each side and can be set manually in the event of electric failure. No air compressor is required. A specially designed spring release on drop chest and lumbar and flexion T-BAR that retracts downward or sideways are optional. Optional manual and automatic drops are available on an optional rotating chest lumbar section.

Standard Features

- Tilting headpiece with add-on paper attachment
- One piece adjustable chest



- Manual Flexion Distraction
- Adjustable Ankle Rest (Horizontal)
- Axial extension & retraction of pelvic section (Manual Foot Pump)
- Lateral bending
- Ankle Straps

Optional Features:

- Lloyd's superior designed manual cocking drops
- Manual drop Ankle
- Pelvic rotation
- Total Dimension Flexion Headpiece
- Grab Bar
- Spring Breakaway Chest
- Rotating chest lumbar with breakaway
- Retractable flexion T-BAR
- Angled T-Bar
- Snap-on Covers

[Click here for pricing](#)

402 Flexion Stationary Specifications

Height Range

18" to 30"

Fully Extended

78 Inches

Fully Retracted

67 Inches



Cushion Width

21 Inches

Table Width

22 Inches

Shipping Weight

200 lbs. (approx)

Actual Weight

150 lbs. (approx)



Galaxy McManis Elevation Hydraulically Controlled Elevation Table



Standard Features

- Hydraulically controlled Elevation
- Deluxe / Adjustable Headpiece
- One piece adjustable chest
- Chest & Pelvic Separation
- Extension / Retraction of Length
- Semi-automatic and manual flexion distraction
- Adjustable Ankle Rest (Vertical and Horizontal)
- Powered axial distraction
- Lateral bending
- Ankle Straps

Galaxy McManis Elevation

Fully Extended	90" long X 22" wide
Fully Retracted	64" long X 22" wide
Fully Raised Height	24" or 40"
Fully Lowered height	22" or 38"



Shipping Weight	430 lbs. (approx)
Actual Weight	380 lbs. (approx)

The Galaxy McManis Elevation table

Unequalled versatility in an all-purpose flexion table. Manual flexion and powered pelvic extension and retraction are standard. Optional features include: electronic height selector, and programmable automatic flexion, rotating chest, rotating pelvic, manual & automatic cocking drops on all sections including the ankle!

Lloyd's drop design allows the amount of force applied to be equal, whether that force is applied on the right, left or center of the pelvic cushion, making them superior to other drops on the market. The automatic cocking drops are built into the table with controls on each side and can be set manually in the event of electric failure. No air compressor is required. A specially designed spring release on drop chest and lumbar and flexion T-BAR that retracts downward or sideways are optional. Optional manual and automatic drops are available on an optional rotating chest lumbar section.



Galaxy McManis Hylo



Standard Features

- Hydraulically controlled Hylo (tilt)
- Deluxe / Adjustable Headpiece
- One piece adjustable chest
- Chest & Pelvic Separation (Power)
- Extension / Retraction of Length (Power)
- Semi-automatic and manual flexion distraction
- Adjustable Ankle Rest (Vertical and Horizontal)
- Tilt Safety Switch
- Speed adjustment of Hylo Feature
- Powered axial distraction
- Lateral bending



- Ankle Straps

The Galaxy McManis Hylo is a flexion distraction table designed with both doctor and patient in mind. Available in 22" to 28" heights, it features fully adjustable head, chest, lumbar and ankle sections. Simple control levers provide precision control of the pelvic flexion with lateral bending and traction.

The standard chest lumbar section, with spring breakaway, is designed to comfortably accommodate pregnant or large abdominal patients. A lumbar extension combined with extendable and retractable pelvic and ankle sections makes it possible to accommodate patients from 5' to 6' 11".

Hydraulically Controlled Hylo Table

Height Range	22" to 28"
Fully Extended Including Footplate	91 Inches
Fully Retracted Excluding Footplate	65 Inches
Cushion Width	21 Inches
Table Width	22 Inches
Shipping Weight	400 lbs. (approx)
Actual Weight	350 lbs. (approx)

Manual and automatic cocking drops are optional on all sections including the optional rotating chest and forward motion/straight drop headpiece. Chest and lumbar drops can be individually operated while in a rotated position with manual and/or automatic cocking. A specially designed spring release is available with the drop chest and lumbar. The automatic cocking drops are built into the table with controls on each side and can be set manually in the event of electrical failure. No noisy compressor is required.

A flexion T-Bar that retracts downward and sideways is also an optional feature.



Fatigue is not a factor when using a Lloyd McManis Hylo. Hydraulic control provides more constant resistance through the flexion range, regardless of the patient's size or weight. The ease of varying resistance makes Lloyd McManis Tables the most popular in the industry.

Hardening and crack resistant Naugahyde upholstery is available in a wide range of colors.

The McManis Hylo is smoothly tilted or lowered hydraulically at infinitely adjustable speeds from horizontal to 70°, and controlled by foot pedals from either side of the table. The footplate falls away flat on the floor when the table is lowered to a horizontal position. A safety switch prevents the table from accidentally lowering from the hylo position.



Galaxy McManis Stationary Hydraulically Controlled Stationary Table



Standard Features

- Deluxe / Adjustable Headpiece
- One piece adjustable chest with spring breakaway
- Chest & Pelvic Separation
- Extension / Retraction of Length (Manual)
- Manual flexion distraction
- Adjustable Ankle Rest (Vertical and Horizontal)
- Axial distraction -Manual foot pump
- Lateral bending
- Ankle Straps

Galaxy McManis Elevation

Fully Extended	90" long X 22" wide
Fully Retracted	64" long X 22" wide
Fully Raised Height	24" or 40"
Fully Lowered height	22" or 38"
Shipping Weight	170 lbs. (approx)
Actual Weight	220 lbs. (approx)



The Galaxy McManis Stationary table features fully adjustable head, chest, lumbar and ankle sections. A simple control lever provides instant locking of flexion and precision control of the pelvic flexion with lateral bending and traction. A lumbar extender cushion, adjustable to short and tall patients is standard.

The Galaxy McManis Stationary Table is available in heights from 18" to 30". Manual cocking drops are optional on all sections including rotating chest and forward motion and straight down drop headpiece. Retractable flexion T-BAR is optional.

Galaxy McManis Table features these basic McManis movements

- Side bending can be locked in any position
- Pelvic and ankle sections with leather ankle straps are extendable for traction and taller patients
- Chest and head sections can be lowered and raised to various angles

Flexion distraction with instant positive locking in any position



Galaxy Ultimate Table (Elevation, Hylo, and Flexion-Distraction)



Standard Features

- Hydraulically controlled elevation
- Tilting (Hylo) capability
- Automatic, semi-automatic manual flexion distraction
- Electronic height selector
- Powered axial distraction
- Lateral bending
- One piece adjustable chest with spring breakaway
- Extension/Retraction of length - powered
- Electric height selector
- Deluxe/Adjustable Headpiece



- Chest/Pelvic separation (powered)
- Adjustable ankle rest - vertical & horizontal
- Pelvic - Flexion/Distracton (manual, semi-automatic & automatic)
- Pelvic - Lateral side bending
- Axial Extension/Retraction (powered)
- Ankle straps
- Tilt safety switch
- Speed adjustment for hylo feature

The Galaxy Ultimate can be smoothly tilted or lowered hydraulically at infinitely adjustable speeds from horizontal to 70° controlled by foot pedals on both sides of the table. A safety switch prevents the table from accidentally lowering from the hylo position. A foot plate automatically comes up to meet the patient's feet when table begins to lift.

Galaxy Ultimate Table Specifications

Height Range

22" to 38"

Fully Extended

91 Inches

Fully Retracted Including Footplate

81 Inches

Fully Retracted Excluding Footplate

65 Inches

Cushion Width

21 Inches

Table Width

22 Inches

Shipping Weight



500 lbs. (approx)

Actual Weight

450 lbs. (approx)



Optional precision auto and manual cocking drops feature fully adjustable head, chest, lumbar and pelvic cushions and a specially designed tension adjustable spring release on the chest and lumbar sections. Separation of chest and pelvic sections can be as much as 12½".

An optional rotating chest with breakaway is offered with either the standard chest section or optional chest lumbar drop section



With the extender cushion and extendable ankle section, the Ultimate can accommodate patients up to 7'6". The extender cushion can be used with the lumbar or pelvic section and removed for shorter patients. Lateral bending can be locked in any position.




The chest and lumbar sections can be raised and lowered to comfortably accommodate pregnant or large abdominal patients. The footplate falls away flat on the floor when table is in a horizontal position.



Optional Total Dimension Flexion Headpiece
(Range of Motion of patient's head is virtually limitless)



**Programmable Automatic Flexion is a
standard feature...[click to view details](#)**



Electronic Height Selector

Standard on the Ultimate. You can pre-select heights from 22 " to 38".



SELECT LINE **TRACTION CATALOG**

TRITON DTS® TRACTION
AND ACCESSORY CATALOG



CONTENTS

Introduction	1
Traction treatment: a background.....	2
TRITON DTS® 6E.....	3
TRITON DTS® 6M.....	5
TRITON Traction Unit.....	7
DTS TRACTION KITS.....	8
DTS TRACTION	9

INTRODUCTION

Chattanooga® is a brand of DJO Global®. DJO Global provides solutions for musculoskeletal health, vascular health, and pain management. Our products help prevent injuries, rehabilitate after surgery, injury or from degenerative disease, helping to enable patients to regain or maintain natural motion.

For over seven decades, Chattanooga products have helped contribute to positive treatment outcomes in hospitals, clinics, and home settings worldwide. We strive to lead the rehabilitation industry by example, and through continuous innovation, provide real world solutions for clinicians and their patients.

As one of the leading brands in rehabilitation, Chattanooga is sold in over 80 countries worldwide. Chattanooga dealers, distributors and customers are supported by a seasoned team of personnel who oversee product development, product training and education, order placement, product delivery, after sales service, and provide dedicated sales and marketing support.

Please read complete instructions for use for all products prior to use.

VISIT WWW.CHATTANOOGAREHAB.COM



TRACTION TREATMENT: A BACKGROUND

In modern medicine, spinal distraction has been used as a treatment option to relieve back pain resulting from herniated, bulging, or protruding discs associated with various spine injuries and pathologies.

Stretching the spine helps reduce pressure on the intervertebral disc, relieves compression and irritation of the nerve roots and improves sagittal spine alignment.

CLINICAL INDICATIONS FOR TRACTION THERAPY

The Triton DTS® Traction device helps provide traction and mobilization of skeletal structures and skeletal muscles. The Triton® traction device may be used to help relieve peripheral radiation/sciatica and pain associated with:

- Protruding discs
- Bulging discs
- Herniated discs
- Degenerative disc disease
- Posterior facet syndrome
- Acute facet problems
- Radicular pain
- Prolapsed discs
- Spinal root impingement
- Hypomobility
- Degenerative joint disease
- Facet syndrome
- Compressions fracture
- Joint pain
- Discogenic pain



ORDERING INFORMATION

PART NO.	DESCRIPTION
TRITON DTS 6E	
4769EIXUS	Triton DTS 6E
(X) UPHOLSTERY COLOR OPTIONS	
Black/Ecru (x = 10)	Graphite Gray (x = 07)
Blue (x = 02)	Black (x = 08)

When ordering, replace 'x' in Part Number with desired 2-digit colour code above. For example, 4769E102 = Triton 6E, blue

NOTICE: Color charts are produced within the limitations of lithographic color printing and are intended as a general guide only.

TRITON® 6E 6E TRACTION TABLE



Remote control
for automated
table section
adjustment



Automated Pelvic tilt
section (0° to 20°)

Automated
Repositional headpiece
(-30° to +40°)



Foldaway
grab bar

Automated
Adjustable arm rests
(-30° to +40°)



Safety Key

Hidden retractable
casters

Lock/Unlock traction
table movement

TRITON 6E - WHEN DESIGN, TECHNOLOGY & EFFECTIVENESS MEET

In modern medicine, spinal distraction has been utilized as a treatment option to help relieve peripheral radiation/sciatica and pain associated with various spine injuries and pathologies.

More than 7 decades of experience in the service of clinicians worldwide, Chattanooga® introduces its next generation of spinal distraction treatment systems. Consisting of a three-tier portfolio, our latest range of traction tables includes the highly-functional Galaxy traction line, the mid-range Triton® 6M, and the optimum product in the series, the Triton 6E.

Sporting a selection of sophisticated features, the Triton 6E employs modern technology to help put the clinicians in total control with the touch of a button. Fully electric and highly adjustable, when combined with one of our Triton traction units, this premium table helps provide the best possible support for practitioners looking to push their traction treatment to the next level in innovation.



Table controls regulate both heating and lighting functions


Triton DTS® Traction Unit sold separately



Automated Adjustable leg section (0° to +45°)

Anatomical axilla posts

Pivoting traction mount



Integrated cable and power cord system

Variable Color LED Lighting

FEATURES

- One of the most advanced electric traction tables, powered by 6 modern actuators, assist in friction-free movement of head, pelvic, chest and leg sections
- Ideally positioned hand remote control allows for easy access around the table
- 6-section treatment table to provide maximum patient comfort in prone and supine positions for manual and traction therapy
- Pelvic tilt section can be adjusted from 0° to 20° to aid flexion of lumbar spine and to help address pelvic asymmetry
- Head piece can be repositioned from -30° to +40° to allow easy access to thoracic and cervical spine
- Atmospheric LED light system in table frame, with cycling or fixed modes
- Tuck-away grab bars for hanging traction without thoracic restraint
- Heated cushions provide greater patient comfort
- Easy to transport and secure once in place
- Complete range of accessories to suit every patient need

WARRANTY

DJO Global® provides a 24-month warranty on the delivered product and a 12-month warranty on its upholstered parts, starting from the date of original consumer purchase, as indicated in a proof of purchase. See IFU for more detail.

TECHNICAL SPECIFICATIONS

Mains Power:	120 V~ 50/60 HZ	
Current:	Max 2A with 120V	
Dimensions:	Total*	90.5 X 37 X 31 inches
	Table+Trac. Arm	109.8 Inches
	Total Table Length	85.4 inches
	Head/Back section	28 inches
	Mid. section	8.6 inches
	Pelvic section	10 inches
	Leg section	30 inches
	Width	27.5 inches
Adjustment:	Angle Inclination	Head: -30° to +40° Pelvic: 0° to 20° Leg: 0° to 45°
	Displacement	Leg: 4 inches
	Height	19 inches 37 inches
	Heating Temperatures:	95° & 100.4° F
LED Lighting:	7 colors & FADE option	
Dynamic lifting capacity:	440 LBS	
Max. workload:	605 LBS	
Electrical Safety Class:	Class I, Type B	
Safety Tests:	CE, Class I Rule 12	
Table Weight:	494 LBS	
Average Shipping Weight:	550 LBS	
Shipment Dimensions:	92.5 X 37.4 X 31.5 inches	
* Dimensions are listed as L x W x H		

LIGHTING OPTIONS

LED lighting system for personalisation.
Cycle or fixed modes.



RED



YELLOW



GREEN



BLUE



LILAC



PURPLE

ORDERING INFORMATION

PART NO.	DESCRIPTION
TRITON® DTS 6M	
4769M1xUS	Triton DTS® 6M traction table
(X) STANDARD UPHOLSTERY COLOR OPTIONS	
Imperial Blue (x = 19)	Black (x = 08)
(X) OPTIONAL SPECIAL ORDER UPHOLSTERY COLORS	
Blue (x = 02)	Gray (x = 06)

When ordering, replace 'x' in Part Number with desired 2-digit colour code above. For example, 4769M102 = Triton 6M, blue

NOTICE: Color charts are produced within the limitations of lithographic color printing and are intended as a general guide only.

TRITON® 6M TRACTION TABLE



TRITON DTS 6M EVOLUTION OF THE GOLD STANDARD IN DTS TRACTION THERAPY

Comprised of 6 sections, the Triton DTS 6M traction table uses a combination of gas springs and electric power to aid manual adjustment, allowing for easy control of table positioning. Each section is adjustable, providing a wealth of achievable patient positioning options. Together with a Triton Traction Unit, the Triton 6M is a solid choice for the basis of any therapist's practice.





FEATURES

- 6-section treatment table provides maximum patient comfort in prone and supine positions to aid manual and traction therapy
- Pelvic tilt section can be adjusted from 0° to 15° to aid flexion of lumbar spine and to help address pelvic asymmetry
- Head piece can be repositioned from -15° to +40° to allow easy access to thoracic and cervical spine
- Tuck-away grab bars for hanging traction without thoracic restraint
- Leg section is adjustable from 0° to 45°
- Gas springs assist in friction-free movement of head, pelvic, chest and leg sections which are easily accessible from either side of the table
- Foot/hand controller allows easy adjustment of table height and includes a lockable safety mechanism
- Complete range of accessories to suit every patient need

WARRANTY

DJO Global® provides a 24-month warranty on the delivered product and a 12-month warranty on its upholstered parts, starting from the date of original consumer purchase, as indicated in a proof of purchase. See IFU for more detail.

TECHNICAL SPECIFICATIONS

Mains Power:	120 V~ 50/60 HZ	
Current:	Max 2A with 120V	
Dimensions	Total*	90.5 x 37 x 31 inches
	Table+Trac. Arm	109.8 Inches
	Total Table Length	85.4 inches
	Head / Back	28 inches
	Middle section	8.6 inches
	Pelvic section	10 inches
	Leg section	30 inches
Adjustment:	Width	27.5 inches
	Angle Inclination	Head: -30° to +40° Pelvic: 0° to 15°
	Displacement	Leg: 0° to 45°
	Height	Leg: 4 inches 19 inches 37 inches
	Dynamic lifting capacity:	440 LBS
Maximum workload:	605 LBS	
Patient Weight:	363 LBS	
Electrical Safety Class:	Class I, Type B	
Safety Tests:	CE, Class I Rule 12	
Table Weight:	428 LBS	
Average Shipping Weight:	484 LBS	
Shipment Dimensions:	92.5 x 37.4 x 31.5 inches	

* Dimensions are listed as L x W x H

ORDERING INFORMATION

PART NO.	DESCRIPTION
TRITON® TRACTION UNIT	
4739	Triton® traction
TECHNICAL SPECIFICATIONS	
Mains Power:	100 - 240 V, 50/60 Hz
Power Consumption:	75 W
Current Consumption:	3.2 Amps Max
Weight:	30 LBS
Dimensions*:	18 x 9 x 18 inches
Electrical Safety Class:	Class 1, Type B
Safety Tests:	IEC/UL/EN 60601-1, IEC/EN 60601-1-2, CAN C22.2 NO. 601.1-M90 W/A2 - MEETS MDD 93/42/EEC, CE 0413

TRITON® TRACTION UNIT



- Static, intermittent, and cycling traction
- Independent timers allow easy customization of traction pulls in progressive, regressive, and traction phases
- Variable speed motor (30%, 50% and 100%)
- Pretension step eases the patient into traction to help prevent muscle guarding and pretest patient's tolerance to traction force
- Clinical Protocols™ provided for both cervical and lumbar conditions
- Full color graphic library complete with visual tutorial of belting techniques, anatomical images and common pathologies
- Digital high resolution color touch screen that pivots 270°
- 80 User defined protocol slots
- Easily store treatment parameters, pain scales, and pain maps on Patient Data Cards

DTS TRACTION KITS



ORDERING INFORMATION

PART NO.	DESCRIPTION
----------	-------------

8250 TRITON DTS® ADVANCED ACCESSORY PACKAGE

2841	DTS Triton® Traction Unit - not sold separately
A. 2825	QuikWrap DTS Belt Set
B. 42901	Knee Bolster
C. 9296	Stabilizer Pressure Biofeedback (PBF)
D. 7040	Saunders Cervical

8245 TRITON DTS BASIC ACCESSORY PACKAGE

2841	DTS Triton® Traction Unit - not sold separately
A. 2825	QuikWrap DTS Belt Set
B. 42901	Knee Bolster




ORDERING INFORMATION

PART NO.	DESCRIPTION	
A QUIKWRAP BELTING SYSTEM		
2825	QuikWrap DTS Belt Set	
B KNEE BOLSTER		
B1 42901	Knee Bolster	
B2 42904	Knee Bolster	
C KATLENBORN		
371308	Kaltenborn 3.7x6x2 inches	
D AXIAL POSTS		
D1 01-STOX0703-002	Anatomical Axilla Posts Black (Set of 2)	
D2 83215ME	Traction Axial Post, Black (x2)	
The following items are available in 6 colors: Beige (01) Blue (02) Grey (06) Graphite Grey (07) Black (08) Imperial Blue (19). Reference * for the 6 color choices below.		
E WEDGE		
E1 3714*	11.8x15.7x4.7 inches	
E2 3715*	19.7x13.7x7.9 inches	
F ROUND BOLSTER		
3718*	Round Bolster 23.6x6 inches	
(X) WEDGE AND BOLSTER COLOR OPTIONS		
Beige (x = 01)	Blue (x = 02)	Gray (x = 06)
Graphite Gray (x = 07)	Black (x = 08)	Imperial Blue (x = 19)

When ordering, replace 'x' in Part Number with desired 2-digit colour code above. For example, 371408 = Wedge, Black

NOTICE: Color charts are produced within the limitations of lithographic color printing and are intended as a general guide only.

TRITON DTS® TRACTION ACCESSORIES



FEATURES

A QuikWrap DTS Belt Set

- Universal fit, for use with pelvic or lumbar traction applications up to 300 LBs

B Knee Bolster

- Provides optimum body position to aid in multiple treatment applications.

C Kaltenborn Wedge

- For use by professionals trained in manual mobilization techniques.

D Axial Posts

- Removable axilla posts help provide additional fixation to the table, preventing slippage during supine traction

E Wedge (1 per pack)

- Flat surfaced positioning shapes in two sizes 11.8x15.7x4.7 or 19.7x13.7x7.9 inches

F Round Bolster

- Rounded positioning shape in one size: 23.6x6 inches



FEATURES

G Pneumatic Stools

- High-quality, therapy stools with 60 Kg/m³ foam density swivel seat, supports 330 LBs

H Stabilizer Pressure Biofeedback

- Consists of combined gauge and inflation bulb connected to pressure cell

I Clinical Cervical Traction

- This clinical device is designed specifically to aid in cervical traction. One size fits most

J Safety Key

- Removable personal safety key for table security and positioning.

ORDERING INFORMATION

PART NO.	DESCRIPTION
G PNEUMATIC STOOLS (See color chart on page 7)	
371901	Standard Stool Beige
371902	Standard Stool Blue
371906	Standard Stool Gray
371907	Standard Stool Graphite Gray
371908	Standard Stool Black
371919	Standard Stool Imperial Blue
372001	Flexi Stool Beige
372002	Flexi Stool Blue
372006	Flexi Stool Gray
372007	Flexi Stool Graphite Gray
372008	Flexi Stool Black
372019	Flexi Stool Imperial Blue
H STABILIZER PBF	
9296	Stabilizer Pressure Biofeedback (PBF) Unit
STANDARD ACCESSORIES	
92965	Instruction Manual
92961	PBF Stabilizer Pressure Cuff
I SAUNDERS CERVICAL TRACTION	
7040	Saunders Cervical Traction System - Includes Clevis
J SAFETY KEY	
15-0127	Safety Key



www.chattanoogaarehab.com

Triton® and Galaxy Tables are manufactured by Meden-Inmed Sp. z o.o. exclusively for Chattanooga. A DJO Global Company

Name: _____

Phone: _____

School/Organization: _____

E-mail: _____

Dealer/Rep: _____

Sales Rep: _____ Quote: _____

DOC DECOMPRESSION TABLE

STANDARD FEATURES:

- Lifting capacity: 350 lbs.
- Electric elevation range: 21-29"
- Lateral flexion positioning and axial rotation
- Cervical capture headpiece
- Traction belting system enhances restraint for optimal decompression
- User-defined treatment hold and relax times
- Real-time digital treatment tracking
- Speed control
- Pre-programmed lumbar and cervical decompression protocols
- Digital Command Center includes:
 - Specific vertebral targeting
 - Separate lumbar and cervical traction/decompression programming
 - Continuous readout and graphing of treatment parameters
 - Interactive color display
- Reference library - including patient setup and training materials



E9011-B

STANDARD TABLES:

- ☐ **E9011-B** - DOC Decompression Table (120V)
Table: 30"W x 77"L x 21-29"H
Space Requirement: 44"W x 102"L
QTY: _____
- ☐ **E9014-B** - DOC Decompression Table (240V)
Table: 30"W x 77"L x 21-29"H
Space Requirement: 44"W x 102"L
QTY: _____
- ☐ **E9022** - Tower Version (120V)
Table: 30"W x 77"L x 21-29"H
Tower: 27.5"W x 25"D x 72"H
Overall: 36"W x 144"L x 21"H
QTY: _____
- ☐ **E9015** - Tower Version (240V)
Table: 30"W x 77"L x 21-29"H
Tower: 27.5"W x 25"D x 72"H
Overall: 36"W x 144"L x 21-29"H
QTY: _____

OPTIONS:

- ☐ **E46500** - Elevation Foot Pedal (Not available on E9022 or E9015)
- ☐ **E46510** - P-A Flexion Foot Pedal (Not available on E9022 or E9015)

STANDARD UPHOLSTERY CHOICES:

- | | |
|-------------------------------------|--------------------------------|
| ☐ Royal Blue | ☐ Lark |
| ☐ Imperial Blue | ☐ Burgundy |
| ☐ Blue Ridge | ☐ Dove |
| ☐ Forest | ☐ Charcoal |
| ☐ Black | ☐ Mocha |
| ☐ Putty | |



E9022



Name: _____

Phone: _____

School/Organization: _____

E-mail: _____

Dealer/Rep: _____

Sales Rep: _____ Quote: _____

DETAILS:

VIRTUAL COMMAND CENTER: 8" sleek, digital, color display slides to either side of the table.

DISC ANGLE LEVEL INDICATOR:

Allows table to adjust to the exact angle for targeting a specific disc level increasing accuracy and specificity.

PATIENT SAFETY SWITCH:

Safety feature allowing a patient to immediately stop the treatment due to pain, spasm or discomfort.

TABLE ELEVATION: A 21" to 29" range allows for customizable working height accommodating a variety of patient body types. The Americans with Disabilities Act allows this table to be eligible for the IRS tax code Section 44 credit in some cases. Check with your accountant for specific information.



CERVICAL CAPTURE HEADPIECE:


Fully adjustable with the perfect combination of secure fit and patient comfort. Less discomfort, slipping, pressure than other decompression systems.



SECURE FIT PELVIC CAPTURE SYSTEM: The pelvic capture system securely captures the pelvis for a variety of body types providing just the right combination of fit and comfort.



Axial Rotation



Lateral Flexion



P-A Flexion



Knee & Cervical Bolster Set



Digital Command Center with Preprogrammed Options



Adjustable Arms



Adjustable Headpiece



"I looked at several spinal decompression tables before ultimately deciding on the DOC Decompression Table which was one of best business decisions I have made. The DOC Table is versatile, reliable and effective. Our patients love it. Results have been just as promised. The most exciting part is the table is making us money. It paid for it self in the first year. It is pretty much full all the time and we are just about to the point of needing a second table. I would recommend the DOC to anyone looking to add an effective, cash service to their practice."
Dr. Steve Brenan, Florida



Name: _____

Phone: _____

School/Organization: _____

E-mail: _____

Dealer/Rep: _____

Sales Rep: _____ Quote: _____

THERA-P™ TRACTION TABLE

STANDARD FEATURES:

- Load capacity: 650 lbs.
- 27"W x 78"L x 20-37"H
- Durable and stylish steel white powder coat base
- Whisper quiet lift system with dual foot bar control
- 27" Wide cushions in 2 different top configuration options
- 2" High density foam cushions
- Rounded corners
- Friction-free gas shock cushion separation with lock and unlock lever
- (2) Low profile locking casters
- Head section angle range: +30° to -90°
- Armrest horizontal range: 0 to 45°
- Armrest vertical range: 0 to 7"
- Lift back: 0 to 70°
- Table comes standard with traction head arm and mounting plate



TXT-1004

STANDARD TABLES:



TXT-1004

4 Section

Table Dimension: 27"W x 78"L x 20-37"H

Overall Dimension: 110"W x 64"W x 20-37"H

QTY: _____



TXT-1006

6 Section


Table Dimension: 27"W x 78"L x 20-37"H

Overall Dimension: 110"W x 64"W x 20-37"H

QTY: _____



4 Section



6 Section

Name: _____

Phone: _____

School/Organization: _____

E-mail: _____

Dealer/Rep: _____

Sales Rep: _____ Quote: _____

OPTIONS:

OPTIONS:

- ☐ **TXT-ACC** - Accessories Kit
Traction Head
Cervical Attachment
Traction Belt
Knee and Cervical Bolster Set
(1) Cervical Head Pillow
- ☐ **S1354** - Strapping System
Traction Belt
Knee and Cervical Bolster Set
(1) Cervical Head Pillow
- ☐ **S1353** - Traction Belt Only

TRACTION HEAD FEATURES:

- Load capacity: 650 lbs.
- Crystal clear displays
- Static, Intermittent, and Cyclic Traction
- Variable speed control
- Minimum and maximum force settings 2.5kgs/5.5lbs - 91kgs/200lbs
- Patient safety switch with audible alarm
- Traction force compensation
- Audible alarm protection monitoring of traction forces
- Continuous electronic monitoring of traction forces



Knee & Cervical
Bolster Set and
Traction Belt



Traction Head



Cervical
Attachment &
Head Pillow

STANDARD FRAME COLORS:

- ☐ ☐ White

CUSTOM BASE COLORS:

- | | |
|-----------------------------------|------------------------------------|
| ☐ Black | ☐ Green |
| ☐ Light Gray | ☐ Forest Green |
| ☐ Charcoal | ☐ Purple |
| ☐ Bright Blue | ☐ Yellow |
| ☐ Royal Blue | ☐ Orange |
| ☐ Navy Blue | ☐ Brown |
| ☐ Red | |
| ☐ Burgundy | |

STANDARD UPHOLSTERY CHOICES:

- | | |
|---------------------------------------|---------------------------------------|
| ☐ Royal Blue | ☐ American Beauty |
| ☐ Imperial Blue | ☐ Lark |
| ☐ Blue Ridge | ☐ Burgundy |
| ☐ Deep Violet | ☐ Dove |
| ☐ Forest | ☐ Charcoal |
| ☐ Mandarin Orange | ☐ Mocha |
| ☐ Black | ☐ Putty |

BASE OPTIONS:

- ☐ **S1178** - Table Base Graphics
- ☐ **PT9020-CC** - Pick Custom Base Color
- ☐ **S2000** - Custom Table Base Powder Coat Color and Table Base Graphics



NAME: _____

COMPANY/ORGANIZATION: _____

DEALER/REP: _____

PHONE: _____

E-MAIL: _____

SALES REP: _____ QUOTE: _____



PHSChiropractic
by Pivotal Health Solutions

www.phschiropractic.com • 800-743-7738

ErgoStyle Elevating HYLO Table



*EH9400 with
Options*



The ErgoStyle Elevating HYLO Table is feature-rich with smooth elevation and up to 63° tilting capabilities that reduce stress on you and your patients. The ErgoStyle Elevating HYLO Table also features a tuck away foot plate giving better access to the end of the table. Because it's fully modular, it allows for easy modifications and upgrades as your practice and techniques grow. Choose from manual drops, various adjustable headpieces, breakaway chest and many other options to customize your table to your practice needs.

STANDARD FEATURES:

- Electric elevation from 20-30"
- 0-63° tilting
- Single foot pedal for elevation & HYLO
- Tilting headpiece with adjustable sewn face cushions
- 22.5" wide seamless cushions with multi-density foam
- Locking 6" extending ankle rest
- Stationary chest
- Fixed pelvic section
- Foldaway foot plate
- Paper roll holder and cutter
- Durable powder coat finish
- Dual auto-cocking foot pedal included with auto-cocking drops
- ADA Compliant

SPECIFICATIONS:

- Lifting capacity: 400 lbs.
- Overall dimensions: 70"L x 28"W x 20-30"H
- Extended maximum length with ankle extension: 76"L
- Cushion width: 22.5"W
- Rated voltage: 120V/230V
- Rated frequency: 50Hz/60Hz
- Current: 4.5 Amps
- Duty cycle: Intermittent-Max: 2 Minute On, 18 Minutes Off

STANDARD TABLE WITH ELEVATION:

- ☐ **EH9400** - ErgoStyle Elevating HYLO Table (120V)

Qty _____

- ☐ **EH9420** - ErgoStyle Elevating HYLO Table (240V)

Qty _____

- ☐ **EH9421** - ErgoStyle Elevating HYLO Table with Auto-cocking (120V)
- Includes Thoracic, Lumbar and Pelvic Drops
with Manual Drop Handles and Dual Auto-cocking Foot Pedal

Qty _____

- ☐ **EH9422** - ErgoStyle Elevating HYLO Table with Auto-cocking (240V)
- Includes Thoracic, Lumbar and Pelvic Drops
with Manual Drop Handles and Dual Auto-cocking Foot Pedal

Qty _____



PHSChiropractic
by Pivotal Health Solutions

ErgoStyle

Elevating HYLO Table

HEADPIECE OPTIONS:

- ☐ **ES95002** - Tilt, Forward Drop, Toggle Drop, Adjustable Face Cushion
- ☐ **ES95003** - Tilt, Elevation, Adjustable Face Cushion
- ☐ **ES95004** - Tilt, Elevation, Forward Drop, Toggle Drop, Adjustable Face Cushion
- ☐ **ES95010** - Tilt, Cervical Distraction, Adjustable Face Cushion
- ☐ **ES95011** - Tilt, Forward Drop, Toggle Drop, Cervical Distraction, Adjustable Face Cushion
- ☐ **ES95012** - Tilt, Elevation, Forward Drop, Toggle Drop, Cervical Distraction, Adjustable Face Cushion
- ☐ **ES95013** - Tilt, Elevation, Cervical Distraction, Adjustable Face Cushion
- ☐ **E4423** - Lateral Flexion (14°) - Available on all headpiece options

CHEST PIECE OPTIONS:

- ☐ **ES95005** - Breakaway, Elevating Chest with Dual Side Control

DROP OPTIONS:

- ☐ **ES58353** - Thoracic Manual Drop
- ☐ **ES58354** - Lumbar Manual Drop
- ☐ **ES58355** - Pelvic Manual Drop

PELVIC OPTIONS:

- ☐ **ES95015** - Elevating Pelvic Section

STANDARD UPHOLSTERY CHOICES:

- | | |
|--|-----------------------------------|
| ☐ Imperial Blue | ☐ Charcoal |
| ☐ Blue Ridge | ☐ Mocha |
| ☐ Forest | ☐ Black |
| ☐ Burgundy | ☐ Lark |
| ☐ Dove | ☐ Putty |
| ☐ Royal Blue | |



Headpiece: Tilt, Elevation, Forward Drop, Toggle Drop, Adjustable Face Cushion Options



Full Length Patented Accelerator III Drops



EH9400 with Options



Galaxy 900HS Elevation, Hylo Adjusting Table



Standard Features

- Hydraulically controlled elevation
- Automatic Height Select
- Tilting (Hylo) capability
- Deluxe Adjustable Headpiece
- One piece adjustable chest
- Extension / Retraction of Length (Power)
- Pelvic Separation
- Adjustable Chest (vertical)
- Adjustable Pelvic (vertical)
- Electronic height selector
- Tilt Safety Switch



- Speed Adjustment for Hylo feature
- Spring Breakaway chest

The Galaxy 900HS is the ultimate for the hard working practitioner who refuses to compromise. By being able to raise the table to any desired height, from 18" to 38", stooping and bending is virtually eliminated. You are less fatigued by the end of the day, leaving more energy for your family and recreation. Also available on the 900HS is the All-New Lloyd Total Response Drop system on all sections. The Lloyd Total Response Drop System features a one-piece chest cushion while offering a dorsal and lumbar drop that cock and drop individually.

*Shown with Lloyd's Auto & Manual Drop System

900HS Table Specifications

Fully Extended

Fully Retracted

Fully Raised Height

Fully Lowered Height

Shipping Weight

Actual Weight

84" long X 22" wide

76" long X 22" wide

36"



19"

450 lbs. (approx)

395 lbs. (approx)

The 900HS is shown with optional automatic and manual cocking, head, chest, lumbar and pelvic drops. Lloyd's drop design allows the amount of force applied to be equal whether that force is applied on the right, left or center of the pelvic cushion, making them superior to other drops on the market. The automatic cocking drops are built into the table with controls on each side and can be set manually in the event of electric failure. There is no need for a noisy air compressor. They are quieter and smoother than any other drops...the finest money can buy. The table is also shown with optional snap-on covers.

Desirable features of the Galaxy 900HS, our most popular adjusting table:

- A broader range of horizontal elevations
- Extends and retracts to accommodate 5' to 7' patients with a touch of a switch
- Solid state electronic operation
- Smooth, quiet, hydraulic operation
- All cushions raise and lower
- Adjustable controls conveniently located on both sides of the table
- Chest section on deluxe table has breakaway feature with adjustable tension(optional on drop chest and lumbar sections)
- Unmatched lifetime stability
- New manual and automatic cocking drops are optional on all sections



- Lloyds '95 deluxe headpiece with or without optional drops tilts elevates with 8 position openings





Galaxy HYLO Hydraulically Controlled Hylo Table



Standard Features

- Hydraulically Controlled Hylo
- Deluxe Adjustable Headpiece
- One piece adjustable chest
- Extension / Retraction of Length (Power)
- Pelvic Separation
- Adjustable Chest (vertical)
- Adjustable Pelvic (vertical)
- Tilt Safety Switch
- Speed Adjustment for Hylo feature



- Breakaway Chest

Galaxy Hylo Table Specifications

Height Range

18" to 28"

Fully Extended

84" long

Fully Retracted

76" long

Cushion Width

21" long

Table Width

22" long

Shipping Weight

400 lbs. (approx)

Actual Weight

350 lbs. (approx)

The Galaxy Hylo

The Favorite Workhorse of the Chiropractic Profession. Standard features include hydraulic tilt from horizontal to 70 degrees, infinitely adjustable speed and hydraulic extension retraction. A chest lumbar drop with spring breakaway, Pelvic Drop, ankle drop, plus many more options are available. Also available on the Galaxy Hylo is the All-New Lloyd Total Response Drop system on all sections. The Lloyd Total Response Drop System features a one-piece chest cushion while offering a dorsal and lumbar drop that cock and drop individually.



Activity Hylo



Standard Features

- Quiet Smooth Hydraulic Tilting Up & Down Tilt Speed are Individually & Infinitely Adjustable
- Casters for Easy Moving
- Convenient Paper Tray
- Automatic Drop Away Foot Plate
- Gray Baked Urethane Powder Coated Frame
- 26" Wide Cushions
- 48" Long Face Opening



Optional Features:

- Hand Bars
- 28" Wide Cushions

[Click here for pricing](#)

Activity Hylo

The Favorite Workhorse of the Chiropractic Profession

The Activity Hylo is designed and built in the Lloyd Tradition for quality and long lasting use in the most demanding of practices. The quiet, smooth hydraulic tilting has a slow down feature that eliminates abrupt starting and stopping.

Activity Hylo Table Specifications

Height

34 Inches

Width

26 Inches

Length

81 Inches

Face Opening

48 Inches

Shipping Weight

240lbs. (approx)

Actual Weight

195lbs. (approx)