

Flexion / Distraction Tables

PRODUCT BROCHURE COLLECTION

Table of Contents

PIVOTAL HEALTH SOLUTIONS (PHS CHIROPRACTIC)

ErgoStyle FX Flexion Distraction Table	Page 2
TradeFlex Max Manual & Auto Flexion Table	Page 4
TradeFlex Manual Flexion Table	Page 5

LEANDER

Leander 900 Series Flexion-Distraction	Page 7
Leander 950 Series Flexion-Distraction with Elevation	Page 8

HILL LABORATORIES

Hill AFT / AirAFT	Page 9
Hill AirFlex II	Page 15
Hill Repex II	Page 21

LLOYD TABLE COMPANY

Lloyd 402 Flexion Elevation	Page 22
Lloyd 402 Flexion Stationary	Page 25
Lloyd Galaxy McManis Elevation	Page 28
Lloyd Galaxy McManis Hylo	Page 30
Lloyd Galaxy McManis Stationary	Page 33
Lloyd Galaxy Ultimate	Page 35

NAME: _____
COMPANY/ORGANIZATION: _____
DEALER/REP: _____

PHONE: _____
E-MAIL: _____
SALES REP: _____ QUOTE: _____



PHSChiropractic
by Pivotal Health Solutions

www.phschiropractic.com • 800-743-7738

ErgoStyle FX Flexion Distraction Table



ES5820



ES5820 with Auto Flexion
and Options

The design of our ErgoStyle™ FX Flexion Distraction table offers full, ultra-smooth counterbalanced flexion, distraction or circumduction, effortlessly meeting the core needs of your practice. Manual flexion/distraction is built right in, with infinitely variable electric spring tension so you can move the caudal section in any direction with just the touch of a finger. For added flexibility, the table also quietly elevates from its lowest height of 20" to its full height of 32". The fully modular design allows for upgrades now or in the future, including manual drops, auto-cocking drops, auto flexion, various headpieces, and many other options.

STANDARD FEATURES:

- Electric elevation from 20-32"
- Single foot pedal for elevation
- Expanding covers over lifting mechanism
- Tilting headpiece with adjustable sewn face cushions
- 22.5" wide seamless cushions with multi-density foam
- Manual flexion/distraction (Flexion: 15°; Extension: 12°; Side Bending: 30° total)
- Single tension foot pedal (manual flexion only)
- Locking 8" extending ankle rest with ankle cuffs
- Stationary chest
- Paper roll holder and cutter
- Durable powder coat finish
- Single auto-cocking foot pedal included with auto-cocking drops
- ADA Complaint

SPECIFICATIONS:

- Lifting capacity: 400 lbs.
- Overall dimensions: 70"L x 28"W x 20-32"H
- Extended maximum length with ankle extension: 78"L
- Cushion width: 22.5"W
- Rated voltage: 120V/240V
- Rated frequency: 50Hz/60Hz
- Current: 2.7 Amp
- Duty cycle: Intermittent-Max: 1 Minute On, 9 Minutes Off

STANDARD TABLES:

- ☐ **ES5820** - ErgoStyle FX Flexion Distraction Table (120V)

Qty _____

- ☐ **ES5821** - ErgoStyle FX Flexion Distraction Table (240V)

Qty _____

- ☐ **ES5822** - ErgoStyle FX Flexion Distraction Table with Auto-Cocking (120V)
- Includes Thoracic, Lumbar and Pelvic Drops with Manual Drop Handles and Single Auto-cocking Foot Pedal

Qty _____

- ☐ **ES5823** - ErgoStyle FX Flexion Distraction Table with Auto-Cocking (240V)
- Includes Thoracic, Lumbar and Pelvic Drops with Manual Drop Handles and Single Auto-cocking Foot Pedal

Qty _____



PHSChiropractic
by Pivotal Health Solutions

ErgoStyle FX

Flexion Distraction Table

FLEXION OPTIONS:

- ☐ **ES58491** - ErgoStyle FX Auto Flexion with Digital Interface Control
- ☐ **ES58494** - Long Axis Distraction 120V (with Manual Flexion)
- ☐ **ES58495** - Long Axis Distraction 120V (with Auto Flexion)
- ☐ **ES58496** - Long Axis Distraction 240V (with Manual Flexion)
- ☐ **ES58497** - Long Axis Distraction 240V (with Auto Flexion)

HEADPIECE OPTIONS:

- ☐ **ES95002** - Tilt, Forward Drop, Toggle Drop, Adjustable Face Cushion
- ☐ **ES95003** - Tilt, Elevation, Adjustable Face Cushion
- ☐ **ES95004** - Tilt, Elevation, Forward Drop, Toggle Drop, Adjustable Face Cushion
- ☐ **ES95010** - Tilt, Cervical Distraction, Adjustable Face Cushion
- ☐ **ES95011** - Tilt, Forward Drop, Toggle Drop, Cervical Distraction, Adjustable Face Cushion
- ☐ **ES95012** - Tilt, Elevation, Forward Drop, Toggle Drop, Cervical Distraction, Adjustable Face Cushion
- ☐ **ES95013** - Tilt, Elevation, Cervical Distraction, Adjustable Face Cushion
- ☐ **E4423** - Lateral Flexion (14°) - Available on all headpiece options

CHEST PIECE OPTIONS:

- ☐ **ES58359** - Breakaway, Elevating Chest with Single Side Control
- ☐ **ES58362** - Breakaway, Elevating Chest with Dual Side Control

STANDARD UPHOLSTERY CHOICES:

- | | |
|--|-----------------------------------|
| ☐ Imperial Blue | ☐ Charcoal |
| ☐ Blue Ridge | ☐ Mocha |
| ☐ Forest | ☐ Black |
| ☐ Burgundy | ☐ Lark |
| ☐ Dove | ☐ Putty |
| ☐ Royal Blue | |

DROP OPTIONS:

- ☐ **ES58353** - Thoracic Manual Drop
- ☐ **ES58354** - Lumbar Manual Drop
- ☐ **ES58355** - Pelvic Manual Drop

AUTO-COCKING FOOT CONTROL OPTIONS:

- ☐ **C4051** - Dual Auto-Cocking Foot Pedal

ELEVATION CONTROL OPTIONS:

- ☐ **95284** - Dual Foot Pedal Elevation

TENSION FOOT CONTROL OPTIONS: (MANUAL FLEXION ONLY)

- ☐ **C4053** - Dual Tension Foot Pedal

T-BAR HANDLE OPTIONS:

- ☐ **ES58429** - Short T-Bar Handle
- ☐ **ES58430** - Long T-Bar Handle

MISCELLANEOUS OPTIONS:

- ☐ **E7065** - Super Silent 20 Amp Compression (120V)
- ☐ **E7079** - Super Silent 20 Amp Compression (240V)



Digital Interface Control



Headpiece: Tilt Elevation, Forward Drop, Toggle Drop, Adjustable Face Cushion Options



Breakaway, Elevating Chest Option with Single or Dual Side Control

Name: _____

Phone: _____

School/Organization: _____

E-mail: _____

Dealer/Rep: _____

Sales Rep: _____ Quote: _____

TRADEFLEX MAX

MANUAL & AUTO FLEXION TABLE

STANDARD FEATURES:

- Lifting capacity: 350 lbs.
- Overall dimensions: 73"L x 28" W x 21"H
- Extended maximum length with ankle extension: 83"L
- Cushion width: 22"W
- Stationary table height: 21"
- P/A Flexion: 15°
- Rear lateral flexion: 15°
- Electric spring tension
- 10" Ankle extension
- Breakaway abdominal
- Tilting headpiece with adjustable face cushions
- Variable speed control
- Flexion timer
- Steel base
- Short T Bar and SST strap
- Paper roll holder and cutter
- Rated voltage: 120V
- Rated frequency: 50Hz



E9118

STANDARD TABLES:

- ☐ **E9118** - E9118 TradeFlex Manual & Auto Flexion Table (120V)
QTY: _____

HEADPIECE OPTIONS:

- ☐ **E7529** - Tilt, Adjustable Face Cushions
- ☐ **E4401** - Tilt, Forward Drop, Adjustable Face Cushions
- ☐ **E4512** - Tilt, U-Shape Cushion
- ☐ **E4513** - Tilt, U-Shape Cushion, Cervical Drop
- ☐ **E4514** - Tilt, U-Shape Cushion, Axial Flexion

DROP OPTIONS:

- ☐ **E4412** - Thoracic Manual Drop
- ☐ **E4413** - Lumbar Manual Drop
- ☐ **E4414** - Pelvic Manual Drop

LONG AXIS DISTRACTION

- ☐ **E4415** - Long Axis Distraction (120V)

HEIGHT & ELEVATION OPTIONS:

- ☐ **E9118-L** - Elevation 21-29" with Single Foot Pedal
- ☐ **95284** - Dual Foot Pedal for Elevation

STANDARD UPHOLSTERY CHOICES:

- | | |
|-------------------------------------|--------------------------------|
| ☐ Royal Blue | ☐ Lark |
| ☐ Imperial Blue | ☐ Burgundy |
| ☐ Blue Ridge | ☐ Dove |
| ☐ Forest | ☐ Charcoal |
| ☐ Black | ☐ Mocha |
| ☐ Putty | |

NAME: _____

COMPANY/ORGANIZATION: _____

DEALER/REP: _____

PHONE: _____

E-MAIL: _____

SALES REP: _____ QUOTE: _____



PHSChiropractic
by Pivotal Health Solutions

www.phschiropractic.com • 800-743-7738

TradeFlex Manual Flexion Table



E9017



The TradeFlex Manual Flexion table is a workhorse, giving you and your patients a wide variety of options, from drops and headpieces to height, elevation and even long-axis distraction. You will appreciate the electric tension controls and removable flexion control t-bar that will allow you to move freely around the table. Your patients will benefit from the ability to preform figure-8 range of motion traction, a smooth range of 1.5 degrees of lateral flexion and a flexion depth of 1.5 degrees to accommodate almost any angle of drive. The TradeFlex Manual Flexion table also offers versatility that will save you time and money, allowing for optimum correction of spinal subluxations or disc problems yet still functioning as an exam, adjusting or therapy table.

STANDARD FEATURES:

- Stationary table height is 20"
- P/A Flexion 15°
- Rear lateral flexion 15°
- Electric spring tension
- 10" Ankle extension
- Breakaway abdominal
- 22" Wide comfort cushions
- Tilting headpiece with adjustable face cushions
- Steel base
- Short T bar and SST strap
- Paper roll holder and cutter

SPECIFICATIONS:

- Lifting capacity: 350 lbs.
- Overall dimensions: 73"L x 28"W x 20"H
- Extended maximum length with ankle extension: 83"L
- Cushion width: 22"W
- Rated voltage: 120V/240V
- Rated frequency: 50/60Hz

STANDARD TABLES:

- ☐ **E9017** - TradeFlex Manual Flexion Table (120V)

Qty _____

- ☐ **E9217** - TradeFlex Manual Flexion Table (240V)

Qty _____

HEIGHT & ELEVATION OPTIONS:

- ☐ **E4802** - Extended Stationary Height Beyond 26" (Per Inch)
(Stationary table height is 20" - adding height is no extra charge up to 26")
Qty _____ (inches)

- ☐ **E9017-L** - Elevation - 21-29" with Single Foot Pedal (120V)

- ☐ **E9217-L** - Elevation - 21-29" with Single Foot Pedal (240V)

- ☐ **95284** - Dual Foot Pedal for Elevation



PHSChiropractic
by Pivotal Health Solutions

TradeFlex

Manual Flexion Table

HEADPIECE OPTIONS:

- ☐ **E4401** - Tilt, Forward Drop, Adjustable Face Cushion
- ☐ **E4408** - Tilt, Elevation, Adjustable Face Cushion
- ☐ **E4409** - Tilt, Cervical Distraction, Adjustable Face Cushion
- ☐ **E4410** - Tilt, Elevation, Forward Drop, Toggle Drop, Adjustable Face Cushion
- ☐ **E4411** - Tilt, Elevation, Forward Drop, Toggle Drop, Cervical Distraction, Adjustable Face Cushion
- ☐ **E4423** - Lateral Flexion (14°) - Available on all headpiece options

DROP OPTIONS:

- ☐ **E4412** - Thoracic Manual Drop
- ☐ **E4413** - Lumbar Manual Drop
- ☐ **E4414** - Pelvic Manual Drop

LONG AXIS DISTRACTION OPTIONS:

- ☐ **E4415** - Long axis distraction (120V)
- ☐ **E4416** - Long axis distraction (240V)

STANDARD UPHOLSTERY CHOICES:

- | | |
|--|-----------------------------------|
| ☐ Imperial Blue | ☐ Charcoal |
| ☐ Blue Ridge | ☐ Mocha |
| ☐ Forest | ☐ Black |
| ☐ Burgundy | ☐ Lark |
| ☐ Dove | ☐ Putty |
| ☐ Royal Blue | |



E9017

Leander®

FLEXION DISTRACTION TABLES



950 & 900 Series Overview

Leander® 950 and 900 Series tables deliver smooth, quiet motorized flexion-distraction therapy, enhancing patient comfort while promoting an ergonomic working position for chiropractors.

950 Series (ADA Compliant) – Features powered elevation for effortless height adjustment and easy patient transfer, making it ideal for those with mobility challenges.

900 Series (Fixed Height) – Offers the same motorized flexion-distraction as the 950 but with a fixed height, available in 1-inch increments from 18" to 28".

Specifications

Length & Width:

- 68 inches retracted length, 78 inches fully extended
- 22 inches overall width
- 22 inch wide caudal cushion
- 19 inch wide abdominal cushion

Table Features:

- Electric Variable Speed control with on/off foot control
- Timed or manual operation
- Variable Height: Choose 18.5" - 24" or 21"-29"
- Fixed Height: Choose 18" - 28" in one inch increments
- Adjustable Hinged Cervical Section
- Break-Away Abdominal Section
- Extending Ankle Cushion
- Lateral Flexion with Variable Lock (Travel is 23° to each side)
- Commercial Grade Vinyl Upholstery -14 color options
- Heavy Duty Steel Construction
- 350 pound capacity
- Optional Cervical, Thoracic and Pelvic Drops with adjustable tension control

Electrical: 10 Amp, 115VAC, 60Hz

Weight: 235 pounds



The Leander® STAT Series Overview

Leander® STAT Series treatment tables are available in fixed heights from 18" to 28" or with powered elevation. **Elevation models are ADA compliant** and qualify for the **ADA tax credit**, making them a smart investment for accessibility. These tables ensure smooth patient transfers from wheelchairs while meeting ADA standards.

STAT tables offer the same patient positioning options as Leander motion tables, including a break-away, self-adjusting abdominal section for optimal comfort across all body types. However, they do not feature motorized flexion-distraction.

Specifications

Length & Width:

- 68 inches retracted length, 78 inches fully extended
- 22 inches overall width
- 22 inch wide caudal cushion
- 19 inch wide abdominal cushion

Table Features:

- Variable Height: Choose 18.5" - 24" or 21"-29"
- Fixed Height: Choose 18" - 28" in one inch increments
- Adjustable Hinged Cervical Section
- Break-Away Abdominal Section
- Extending Ankle Cushion
- Lateral Flexion with Variable Lock (Travel is 23° to each side)
- Commercial Grade Vinyl Upholstery -14 color options
- Heavy Duty Steel Construction
- 350 pound capacity
- Optional Cervical, Thoracic and Pelvic Drops with adjustable tension control

Elevation Model Electrical: 10 Amp, 115VAC, 60Hz

Weight: 235 pounds



Jacob Currier

Director of Sales

152 US Route One, Unit 7
Scarborough, ME 04074

207-222-2828 office
207-949-2215 cell
www.medcorpro.com

Leander 950 Series Flexion-Distraction with Elevation



At Leander, they understand that creating an excellent patient experience is important to building your practice. Their tables are carefully designed with your patient's comfort in mind.

Leander Tables are also designed to improve the everyday posture of the chiropractor. Two table elevation height range options provide you with a custom height to protect your back and posture.

Leander Tables are designed and custom-built in the heartland of the USA to your exact needs. Fourteen color choices of commercial upholstery are available to complement your office décor.



950 Series showing break away abdominal section.



950 Series shown fully raised to 29" height.

Features:

- Motorized Continuous Passive Motion Flexion/Distraction
- Electric Variable Speed
- Electric Variable Height
- Front Lateral Flexion with Variable Lock
- Separate patient "Shut-off" switch
- Multi-Function Adjustable headpiece
- Break-Away Abdominal Section
- One Touch controls for Cervical, Ankle & Lateral flexion
- Plug-in Foot Switches; One Each Flexion On/Off and Uplift
- Central Caudal Section Mount Controls
- Scoliosis Kit Ready
- 22" Table Width
- Commercial Grade Naugahyde Upholstery in 14 colors
- Full 1-year Non-Prorated Limited Warranty
- ADA Compliant

Leander[®]
FLEXION DISTRACTION TABLES



Adjustable head piece and convenient paper cutter allow for quick clean up between patients.



Simple on/off control and plug in for foot operated switches.

Jacob Currier
Director of Sales

152 US Route One, Unit 7
Scarborough, ME 04074
207-222-2828 office
207-949-2215 cell
www.medcorpro.com



HILL AFT

Automatic Flexion




Hill Laboratories
COMPANY

HILLAFT™

MOTORIZED AUTOMATIC FLEXION

The Hill Automatic Flexion Table is perfect for doctors who want full-featured automatic flexion without the need for manual flexion. The AFT is surprisingly affordable for a table that features variable speed flexion, electric adjustable height and an impressive list of other standard features.

Make the AFT even more versatile by adding up to four manual drops and several other options to suit your specific needs.




Pictured with several options

Shown in Finesse Colonial Blue Upholstery with Beige Base.



The AFT has adjustable height 21.5" to 29"



Slide-Out Ankle Support

▼ STANDARD FEATURES

- Variable speed motorized flexion
- Tilting Headpiece, 30° negative and positive tilt
- Sliding Axial Motion Headpiece (For facial comfort, slides with the motion of Lumbar Flexion)
- Thoracic release and lock
- Pelvic section has lateral flexion and can be locked at any angle up to 21°
- Removable tiller bar at foot-end for lateral movement
- Slide-out ankle support with ankle harnesses
- Adjustable patient gripper bar
- Patient Shut-Off Switch
- Electric height controlled by Dual Rocker Foot Pedals
- Width 24" / Height 21.5" to 29", higher heights available
- Foam Top - 3" Medium (standard), Soft or Firm
- Choice of 20 Colors for the top cushions
- Beige, Gray or Black Base, enclosed for safety
- One-year warranty on all parts and labor

AFT STANDARDS

ALL OF THE FOLLOWING FEATURES ARE STANDARD ON THE AFT

▶ AUTOMATIC MOTORIZED FLEXION

Variable Speed Flexion

The Hill AFT has a Flexion Control Panel that is conveniently located at the foot-end of the table which allows you to set the flexion speed from 1 to 28 rpm (an optional 30 minute timer can also be added). A selector switch allows you to stop the table in the flexed or horizontal position. In the flexed position, with the table at the lowest height, patients can easily enter or exit the table from the foot end. The pelvic section of the AFT moves laterally and can be easily maneuvered manually during flexion using the Tiller Bar. It can also be locked to either side during flexion.



Shown in Cinder and Black



The Hill AFT is shown here with optional manual drops including Dual-Drop-Cervical, Thoracic, Lumbar and Pelvic.



TILTING HEADPIECE

Hand lever releases the headpiece to lock at any angle from 30° positive to 30° negative.



TILLER BAR

Inserts for using manual lateral movement or circumduction during a flexion treatment.



THORACIC RELEASE

Thoracic Release locks at any angle down to 4-1/4" and up (above horizontal) to 1-1/2".



SLIDING AXIAL-MOTION HEADPIECE

For facial comfort, slides with the motion of Lumbar Flexion.



ROCKER FOOT PEDAL

Mounted on both sides of the table base for easy height adjustment.



PATIENT SHUT-OFF

Equipped with a patient shut-off switch located near the left armrest.

AFT OPTIONS

Made-to-Order

► MANUAL OR AIR-DROPS

The AFT can be equipped with up to 4 manual drops including cervical (straight-down and forward-motion), thoracic, lumbar and pelvic. The AirAFT comes standard with all 4 air drops.


► THORACIC SPRING-BREAKAWAY

For a thoracic recoil movement, a fixed-tension gas shock can be added to the AFT. This feature can be combined with a thoracic or lumbar drop. The AirAFT comes standard with an air-controlled breakaway and pressure pedal.


► HEADPIECES

Add functionality to your headpiece by combining several headpiece options including Air Dual-Drop, Raised, Flexion, Lateral and Translation (CBP). The Manual AFT comes standard with a Tilt headpiece with Sliding Axial Motion. The Air-Drop AFT comes with a Tilt, Air Dual-Drop and Sliding headpiece.


Straight-Down / Drop-Forward
(Both in the Dual-Drop Headpiece)




Lateral




Raised



Flexion




Translation/CBP



► MANUAL CERVICAL FLEXION

The Flex-Headpiece (shown right) comes with the raised headpiece, occipital strap and removable tiller bar. The headpiece unlocks and a gas-spring gently compresses and recoils as you control the flexion, lateral and long-axis movement.

drops



Thoracic/Abdominal Breakaway



DUAL FOOT STRIPS

With a tap of the foot, you can activate the drops from either side of the table.



CASTERS

Mount on each end of the AFT base to permit easy movement of the table.



Cervical Flexion

AIR DROP AFT

Auto-Flex with Air-Drops

Crisp, smooth and impressively fast.

Equipped with the Hill Air-Drop System*, the AirAFT allows doctors to select one or up to four drops simultaneously from the convenient, side-mounted, control panel. Cushions are activated instantly by tapping one of the foot strips.

Shown in Cinder Upholstery with Black Base.



** Additional options shown including Raised Headpiece, Gripper Bar variation, Foot Strips and Timer.*

** The Hill Air-Drop System, with air-powered features, is only available on the AirAFT.*

STANDARD FEATURES

- Variable speed motorized flexion
- Air activated cervical, thoracic, lumbar and pelvic drops
- Air cushioned thoracic breakaway and thoracic release
- Tilting Headpiece, 30° negative and positive tilt with sliding axial motion for facial comfort during flexion
- Pelvic section has lateral flexion and can be locked at any angle up to 21°
- Removable tiller bar at foot-end for lateral movement
- Slide-out ankle support with ankle harnesses
- Adjustable patient gripper bar
- Patient Shut-Off Switch
- Electric height controlled by Dual Rocker Foot Pedals
- Width 24" / Height 21.5" to 29", higher heights available
- Foam Top - 2 1/2" Medium (standard), Soft or Firm
- Choice of 20 Colors for the top cushions
- Beige, Gray or Black Base, enclosed for safety
- One-year warranty on all parts and labor



NOW FEATURING

Optional Air-Powered Lumbar Distraction

Controlled by a foot pedal



SPECIFICATIONS

Electric actuator 60 Hz, 110 volts, 4.8 amps. / AirAFT -10 amps. (220-50 cycle also available)

Lifting capacity - 450 lbs.

Length - 5' 5" (extends to 6' 2"), with cervical drop - 5' 7" to 6' 4" • Width - 24"

Range of height; 21.5" to 29", higher heights available

Medium density foam top; firm and soft density upon request

Choice of colors for upholstered top (see below)

Beige, gray or black telescoping base skirting constructed of fire-rated thermo-plastic

Powder-coated internal and external metal parts

Shipping weight 250-300 lbs.

One-year warranty on all parts and labor

VERY AFFORDABLE

Finance your Hill Laboratories table through our convenient and affordable purchase plans (1, 2 and 3 year).

Visit HillLabs.com to calculate options or call to speak personally with one of our representatives who will be happy to discuss payment options.

AVAILABLE COLORS



Finesse® Upgraded Vinyl - beautiful, smooth finish; supple with foam-backing, greater puncture-resistance. Colors below.



BASE COLORS



Standard vinyl is in durable Boltaflex® with Prefixx™, scientifically formulated to give superior protection from staining and abrasions. Upgraded Finesse also available (see above). Shades may vary from actual material. Color choices may change without notice.



P.O. Box 2028, 3 N. Bacton Hill Road, Frazer, PA 19355 • Toll-Free 1-877-445-5020

610-644-2867 • fax 610-647-6297 • www.HillLabs.com

AIRFLEX II

Flexion-Distraction




Hill Laboratories
COMPANY

AIRFLEX II™

THERE'S ONLY ONE AIRFLEX

In 1993, the original AIRFLEX Table revolutionized flexion-distraction. The AIRFLEX II combines all the ground-breaking innovations of its predecessor with dynamic new features that place the AIRFLEX II in a class by itself.



*Shown with
Black Upholstery
and Black Base*


Smart Lock™
Touchscreen
unlocks/locks the
flexion cylinder

▼ STANDARD FEATURES

- Flexion & Distraction, air-powered, manually-controlled
- High-Definition Touchscreen Controls
- Tilting Headpiece and Thoracic Release
- Removable Tiller Bar at foot-end
- Lateral Flexion with 21 Locking Positions
- Slide-out Ankle Support with Ankle Straps
- Elevation Range from 21 1/2" to 29" (higher starting heights available)
- Electric height controlled by Foot Pedal
- Width 24", Length 5' 8" (extends to 6' 5")
- Foam Top - 3" Medium. (Soft or Firm optional)
- Choice of 20 Colors for the top cushions
- Beige, Gray or Black Base, enclosed for safety
- One-year warranty



*Electric adjustable
height controlled
by a foot pedal*



*Slide-Out Ankle
Support*

AIRFLEX II

OPTIONS

► AIR DROPS

The AIRFLEX II can be equipped with up to four air-drops including cervical* (straight-down and forward-motion), thoracic, lumbar and pelvic (shown right). Each is activated



by tapping the foot pedal or optional dual footstrips, shown left.


**The Cervical Headpiece can be ordered with a manual drop.*

► AIR THORACIC BREAKAWAY

The Air-Thoracic Breakaway (with release) allows for a thoracic recoil movement and features adjustable air-spring tension controlled by a pressure pedal. It locks at any point down to 4.25" and can be combined with thoracic and lumbar drops.


► HEADPIECES

Add functionality to the standard Tilting Headpiece by choosing and combining several headpiece options including Dual-Drop, Raised, Flexion, Axial-Motion, Lateral and Translation (CBP).




► MANUAL CERVICAL FLEXION

The Flex-Headpiece (right) comes with the raised headpiece, occipital strap and removable tiller bar. When using cervical flexion, the headpiece unlocks and a gas-spring gently compresses and recoils as you control the flexion, lateral and long-axis movement.




Thoracic/Abdominal Breakaway



CASTERS

Mount on each end of the Air-Flex to provide easy movement of the table.



ROCKER FOOT PEDAL

Mount on both sides of the table. Substituted for, or add to, the corded height pedal.



FINESSE UPHOLSTERY

Upgrade to Finesse with foam backing for added comfort and a smoother, stronger finish.



Cervical Flexion

AUTO-FLEX

ADD EVEN GREATER VERSATILITY TO THE AIRFLEX II

Easily switch from manual flexion to Auto-Flex for controlled, air-powered flexion cycles. Using the touchscreen, set the depth, speed, hold-time, rest-time and number of cycles. You also have complete control to lock at any angle, pause or stop the treatment, change settings and resume—all through the touchscreen. The hand-held Patient Safety Switch is included with Auto-Flex which stops the automatic treatment at any time.

The 7" HD touchscreen (shown right) offers one-touch digital accuracy for controlled, fully repeatable treatments.


Shown in Black with Black Base



AUTO-DISTRACTION

URNS YOUR AIRFLEX II INTO ONE OF THE MOST EFFECTIVE TRACTION TABLES AVAILABLE


Auto-Distractiion adds fully programmable lumbar and cervical distraction to the AIRFLEX II. Using the touchscreen, you control the rest-cycle time, pull-cycle time, rest percentage, treatment time and force—all with one-touch ease and slider control. Cervical traction features our safe, comfortable Cervical Traction Device (below), which ensures complete encapsulation of the occiput. In lumbar distraction, the patient is secured with ankle straps and a counter traction strap around the lower back. You can also use flexion and lateral movement during distraction or lock for perfect positioning.



AIRFLEX
HILL LABORATORIES



ONE-TOUCH CONTROL. POWERFUL FEATURES.




Target Touch™

Streamlines flexion balancing for easier-than-ever patient set-up.



Smart Lock™

Touchscreen lock, completely eliminates any need for manual flexion locks.



Sleep Mode

Automatically resets and replenishes all air functions between each patient.



Air-Powered Auto-Flexion

With motor-free, AI-monitoring and dynamic control of auto-flexion functions.



Self-Diagnostic

Provides automatic airflow testing and real-time status reports of all table systems.



Modular Components

AIRFLEX II base is easy to service and can be upgraded to auto-functions anytime.



High Capacity Air Supply

The AIRFLEX II has a 100% more efficient compressor (110V base) and a 100% larger air tank (for Auto Functions)



Smart Valve Manifold

AIRFLEX II valves are rated at 10 million cycles with no rewiring needed if replacement is ever necessary.



Programmable Logic Controller

In place of a static circuit board, the PLC provides dynamic control of all table systems.

SPECIFICATIONS

STANDARD AIRFLEX II

Touchscreen, electric adjustable height, 3" foam, 24" width, tilting headpiece, thoracic release, air-distrac-tion, air-flexion, lateral motion, slide-out ankle support, ankle straps and removable tiller bar.

DELUXE AIRFLEX II

Includes all standard features plus 4 air drops - (cervical, thoracic, lumbar and pelvic), air-thoracic breakaway and dual footstrips.

Electric actuator 60 Hz, 110 volts, 4.8 amps. / Deluxe model -10 amps. (220-50 cycle also available).

Lifting capacity - 450 lbs. • Table top length, 5' 8" (extends to 6' 5") • 24" Width (optional 27" - 30").

Range of height; 21 1/2" to 29"; higher heights available • Medium density foam top; firm and soft density upon request.

Choice of colors for top (see below) • Beige, gray or black telescoping base skirting made of fire-rated thermo-plastic.

Powder-coated internal and external metal parts • Shipping weight 300 lbs. • One-year warranty on part and labor

VERY AFFORDABLE


Finance your Hill Laboratories table through our convenient and affordable purchase plans (1, 2 and 3 year).

Visit HillLabs.com to calculate options or call to speak personally with one of our representatives who will be happy to discuss payment options.

AVAILABLE COLORS



Finesse® Upgraded Vinyl - beautiful, smooth finish; supple with foam-backing, greater puncture-resistance. Colors below.



BASE COLORS



Standard vinyl is in durable Boltaflex® with Prefixx™, scientifically formulated to give superior protection from staining and abrasions. Upgraded Finesse also available (see above). Shades may vary from actual material. Color choices may change without notice.



P.O. Box 2028, 3 N. Bacton Hill Road, Frazer, PA 19355 • Toll-Free 1-877-445-5020
610-644-2867 • fax 610-647-6297 • www.HillLabs.com

McKenzie REPEX II

With "Quick-Change" Touch Screen and
Single Degree Incremental Control.



APPROVED BY
Robin
McKenzie

FOR APPLYING
The McKenzie
Principle


Repex II Repetitive Endrange Passive Exercise Table

The exclusive design of the Repex Table was developed by Robin McKenzie and Hill Laboratories to address mechanical disorders of the low back using the McKenzie Technique. The table features precise, repeatable, touchscreen control for entering the exact angle of treatment, speed, number of cycles and hold time. Once entered, the table automatically and passively exercises the patient's lower back to its full available endrange. **Using the Repex, your patients will be able to achieve a greater number of repetitions than what is physically possible using self-generated exercises.**

Repex II Specifications

- Touch screen digital readout
- Exact measurable movement
- Quick-change angle;
0°-24° Extension / 0°-24° Flexion
- Pause/Hold in endrange from
0-10 seconds
- 115 v~, 60 Hz., 3.5 amps; 240 v~, 3
amp. also available
- Variable cycle speed;
1-10 cycles-per-minute
- Patient cut-off switch
- Sliding face (with Ultra-Soft foam)
and sliding lower sections for
comfort during motion
- Arm rests
- Slide-out foot section for patient
stabilization
- Choice of 20 vinyl colors for the
top, beige or gray base
- One year warranty

Touchscreen Control



Hill Laboratories
COMPANY

www.HillLabs.com
877-445-5020



402 Flexion Elevation



Standard Features

- Hydraulically controlled Elevation
- Tilting headpiece with add-on paper attachment
- One piece adjustable chest
- Manual Flexion Distraction
- Adjustable Ankle Rest (Horizontal)
- Powered axial extension & retraction of pelvic section
- Lateral bending
- Ankle Straps

The revolutionary 402 Flexion-Elevation Table has risen to the challenge of the most exacting doctor. It offers a more effective and comfortable way of adjusting, eliminating the pain and strain of your back as well as that of your patients. Fatigue is not a factor when using this new hydraulic flexion-distraction table. Hydraulic control provides more constant resistance through the flexion range, regardless of the patient's size and weight. The 402 Flexion-Elevation features an incredible height range from 19.5" to 39" in 10 seconds and 24 degrees of flexion.



Lloyd's drop design allows the amount of force applied to be equal, whether that force is applied on the right, left or center of the pelvic cushion, making them superior to other drops on the market. The automatic cocking drops are built into the table with controls on each side and can be set manually in the event of electric failure. No air compressor is required. A specially designed spring release on drop chest and lumbar and flexion T-BAR that retracts downward or sideways are optional. Optional manual and automatic drops are available on an optional rotating chest lumbar section.

402 Flexion Elevation Specifications

Height Range: 19.5 inches to 39 inches

Length Extended: 73 inches

Length Retracted: 62 inches

Cushion Width: 21 inches

Table Width: 22 inches

Shipping Weight: 300 lbs. (approx)

Table Weight: 240 lbs





402 Flexion Stationary Hydraulically Controlled Stationary Table



The 402 Flexion-Stationary table features a narrowed head and shoulder section for added patient comfort. A simple control lever provides instant locking of flexion or lateral bending. Hydraulic control provides more constant resistance through the flexion range, regardless of the patient's size and weight.

Lloyd's drop design allows the amount of force applied to be equal, whether that force is applied on the right, left or center of the pelvic cushion, making them superior to other drops on the market. The automatic cocking drops are built into the table with controls on each side and can be set manually in the event of electric failure. No air compressor is required. A specially designed spring release on drop chest and lumbar and flexion T-BAR that retracts downward or sideways are optional. Optional manual and automatic drops are available on an optional rotating chest lumbar section.

Standard Features

- Tilting headpiece with add-on paper attachment
- One piece adjustable chest



- Manual Flexion Distraction
- Adjustable Ankle Rest (Horizontal)
- Axial extension & retraction of pelvic section (Manual Foot Pump)
- Lateral bending
- Ankle Straps

Optional Features:

- Lloyd's superior designed manual cocking drops
- Manual drop Ankle
- Pelvic rotation
- Total Dimension Flexion Headpiece
- Grab Bar
- Spring Breakaway Chest
- Rotating chest lumbar with breakaway
- Retractable flexion T-BAR
- Angled T-Bar
- Snap-on Covers

[Click here for pricing](#)

402 Flexion Stationary Specifications

Height Range

18" to 30"

Fully Extended

78 Inches

Fully Retracted

67 Inches



Cushion Width

21 Inches

Table Width

22 Inches

Shipping Weight

200 lbs. (approx)

Actual Weight

150 lbs. (approx)



Galaxy McManis Elevation Hydraulically Controlled Elevation Table



Standard Features

- Hydraulically controlled Elevation
- Deluxe / Adjustable Headpiece
- One piece adjustable chest
- Chest & Pelvic Separation
- Extension / Retraction of Length
- Semi-automatic and manual flexion distraction
- Adjustable Ankle Rest (Vertical and Horizontal)
- Powered axial distraction
- Lateral bending
- Ankle Straps

Galaxy McManis Elevation

Fully Extended	90" long X 22" wide
Fully Retracted	64" long X 22" wide
Fully Raised Height	24" or 40"
Fully Lowered height	22" or 38"



Shipping Weight	430 lbs. (approx)
Actual Weight	380 lbs. (approx)

The Galaxy McManis Elevation table

Unequalled versatility in an all-purpose flexion table. Manual flexion and powered pelvic extension and retraction are standard. Optional features include: electronic height selector, and programmable automatic flexion, rotating chest, rotating pelvic, manual & automatic cocking drops on all sections including the ankle!

Lloyd's drop design allows the amount of force applied to be equal, whether that force is applied on the right, left or center of the pelvic cushion, making them superior to other drops on the market. The automatic cocking drops are built into the table with controls on each side and can be set manually in the event of electric failure. No air compressor is required. A specially designed spring release on drop chest and lumbar and flexion T-BAR that retracts downward or sideways are optional. Optional manual and automatic drops are available on an optional rotating chest lumbar section.



Galaxy McManis Hylo



Standard Features

- Hydraulically controlled Hylo (tilt)
- Deluxe / Adjustable Headpiece
- One piece adjustable chest
- Chest & Pelvic Separation (Power)
- Extension / Retraction of Length (Power)
- Semi-automatic and manual flexion distraction
- Adjustable Ankle Rest (Vertical and Horizontal)
- Tilt Safety Switch
- Speed adjustment of Hylo Feature
- Powered axial distraction
- Lateral bending



- Ankle Straps

The Galaxy McManis Hylo is a flexion distraction table designed with both doctor and patient in mind. Available in 22" to 28" heights, it features fully adjustable head, chest, lumbar and ankle sections. Simple control levers provide precision control of the pelvic flexion with lateral bending and traction.

The standard chest lumbar section, with spring breakaway, is designed to comfortably accommodate pregnant or large abdominal patients. A lumbar extension combined with extendable and retractable pelvic and ankle sections makes it possible to accommodate patients from 5' to 6' 11".

Hydraulically Controlled Hylo Table

Height Range	22" to 28"
Fully Extended Including Footplate	91 Inches
Fully Retracted Excluding Footplate	65 Inches
Cushion Width	21 Inches
Table Width	22 Inches
Shipping Weight	400 lbs. (approx)
Actual Weight	350 lbs. (approx)

Manual and automatic cocking drops are optional on all sections including the optional rotating chest and forward motion/straight drop headpiece. Chest and lumbar drops can be individually operated while in a rotated position with manual and/or automatic cocking. A specially designed spring release is available with the drop chest and lumbar. The automatic cocking drops are built into the table with controls on each side and can be set manually in the event of electrical failure. No noisy compressor is required.

A flexion T-Bar that retracts downward and sideways is also an optional feature.



Fatigue is not a factor when using a Lloyd McManis Hylo. Hydraulic control provides more constant resistance through the flexion range, regardless of the patient's size or weight. The ease of varying resistance makes Lloyd McManis Tables the most popular in the industry.

Hardening and crack resistant Naugahyde upholstery is available in a wide range of colors.

The McManis Hylo is smoothly tilted or lowered hydraulically at infinitely adjustable speeds from horizontal to 70°, and controlled by foot pedals from either side of the table. The footplate falls away flat on the floor when the table is lowered to a horizontal position. A safety switch prevents the table from accidentally lowering from the hylo position.



Galaxy McManis Stationary Hydraulically Controlled Stationary Table



Standard Features

- Deluxe / Adjustable Headpiece
- One piece adjustable chest with spring breakaway
- Chest & Pelvic Separation
- Extension / Retraction of Length (Manual)
- Manual flexion distraction
- Adjustable Ankle Rest (Vertical and Horizontal)
- Axial distraction -Manual foot pump
- Lateral bending
- Ankle Straps

Galaxy McManis Elevation

Fully Extended	90" long X 22" wide
Fully Retracted	64" long X 22" wide
Fully Raised Height	24" or 40"
Fully Lowered height	22" or 38"
Shipping Weight	170 lbs. (approx)
Actual Weight	220 lbs. (approx)



The Galaxy McManis Stationary table features fully adjustable head, chest, lumbar and ankle sections. A simple control lever provides instant locking of flexion and precision control of the pelvic flexion with lateral bending and traction. A lumbar extender cushion, adjustable to short and tall patients is standard.

The Galaxy McManis Stationary Table is available in heights from 18" to 30". Manual cocking drops are optional on all sections including rotating chest and forward motion and straight down drop headpiece. Retractable flexion T-BAR is optional.

Galaxy McManis Table features these basic McManis movements

- Side bending can be locked in any position
- Pelvic and ankle sections with leather ankle straps are extendable for traction and taller patients
- Chest and head sections can be lowered and raised to various angles

Flexion distraction with instant positive locking in any position



Galaxy Ultimate Table (Elevation, Hylo, and Flexion-Distraction)



Standard Features

- Hydraulically controlled elevation
- Tilting (Hylo) capability
- Automatic, semi-automatic manual flexion distraction
- Electronic height selector
- Powered axial distraction
- Lateral bending
- One piece adjustable chest with spring breakaway
- Extension/Retraction of length - powered
- Electric height selector
- Deluxe/Adjustable Headpiece



- Chest/Pelvic separation (powered)
- Adjustable ankle rest - vertical & horizontal
- Pelvic - Flexion/Distracton (manual, semi-automatic & automatic)
- Pelvic - Lateral side bending
- Axial Extension/Retraction (powered)
- Ankle straps
- Tilt safety switch
- Speed adjustment for hylo feature

The Galaxy Ultimate can be smoothly tilted or lowered hydraulically at infinitely adjustable speeds from horizontal to 70° controlled by foot pedals on both sides of the table. A safety switch prevents the table from accidentally lowering from the hylo position. A foot plate automatically comes up to meet the patient's feet when table begins to lift.

Galaxy Ultimate Table Specifications

Height Range

22" to 38"

Fully Extended

91 Inches

Fully Retracted Including Footplate

81 Inches

Fully Retracted Excluding Footplate

65 Inches

Cushion Width

21 Inches

Table Width

22 Inches

Shipping Weight



500 lbs. (approx)

Actual Weight

450 lbs. (approx)



Optional precision auto and manual cocking drops feature fully adjustable head, chest, lumbar and pelvic cushions and a specially designed tension adjustable spring release on the chest and lumbar sections. Separation of chest and pelvic sections can be as much as 12½".

An optional rotating chest with breakaway is offered with either the standard chest section or optional chest lumbar drop section



With the extender cushion and extendable ankle section, the Ultimate can accommodate patients up to 7'6". The extender cushion can be used with the lumbar or pelvic section and removed for shorter patients. Lateral bending can be locked in any position.




The chest and lumbar sections can be raised and lowered to comfortably accommodate pregnant or large abdominal patients. The footplate falls away flat on the floor when table is in a horizontal position.



Optional Total Dimension Flexion Headpiece
(Range of Motion of patient's head is virtually limitless)



**Programmable Automatic Flexion is a
standard feature...[click to view details](#)**



Electronic Height Selector

Standard on the Ultimate. You can pre-select heights from 22 " to 38".

